

6000 [&] AND 8000

DIRECT VENT GAS FIREPLACES

HEAT & GLO



THE ORIGINAL ACHIEVEMENT

6000 & 8000

This flagship fireplace started in the late 1980s. Now it's evolved into the most award-winning gas fireplace series ever made. Available in 36" and 42" wide models in traditional styling or add a touch of Modern with a clean minimalistic look.

THE PERFECT COMBINATION OF FLAME, GLOW AND LIGHTING

Experience a full depth fireplace where everything comes together to create the ultimate fireside experience. Add an extra layer of dimension and light to your fire. Realistic illuminated LED embers and accent lighting let you enjoy the ambiance, with or without the fire. Choose optional high-definition logs for the highest level of detail

FIT YOUR STYLE

Personalize the aesthetics of the fireplace. Style the front with decorative trims and finishes, choose interior elements, and enrich the appearance with advanced selections.



LEFT: 6000CLX shown with chateau
forge front and kenwood mantel

COVER: 8000CLX



*Top: 8000 MODERN shown with modern front in black and crystal glass media
Left: 6000CL shown with galleria front in new bronze and mt. vernon mantel
Right: 8000CL shown with halston front in black*

MODELS AVAILABLE

Choose a model to fit your space and style.

FEATURES	6000C	6000CL	6000CLX	6000 MODERN	8000C	8000CL	8000CLX	8000 MODERN
Fireplace Width	36"	36"	36"	36"	42"	42"	42"	42"
Room Size Fit	Medium to large	Medium to large	Medium to large	Medium to large	Medium to large	Medium to large	Medium to large	Medium to large
BTU/hr Input	30,000	35,000	40,000	28,000	35,000	40,000	45,000	32,000
Brick Interior Panels	Standard black metal; optional stratford (three-piece)	Standard stratford or tahoe tan (four-piece)	Standard stratford or tahoe tan (four-piece)	N/A	Standard black metal; optional stratford (three-piece)	Standard stratford or tahoe tan (four-piece)	Standard stratford or tahoe tan (four-piece)	N/A
Fade-Resistant Black Glass Interior Panels	N/A	N/A	N/A	Standard	N/A	N/A	N/A	Standard
Fan Kit	Optional	Optional	Standard	Optional	Optional	Optional	Standard	Optional
Remote Control	Optional	Standard	Standard	Optional	Optional	Standard	Standard	Optional
Wall Switch	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Logs	Six standard-definition logs	Seven standard-definition logs	Seven high-definition logs	N/A	Six standard-definition logs	Seven standard-definition logs	Seven high-definition logs	N/A
Embers	Glowing embers	Glowing embers	LED illuminated embers	Modern Interior Glass	Glowing embers	Glowing embers	LED illuminated embers	Modern Interior Glass
Accent Lighting	N/A	Standard LED accent lighting	Standard LED accent lighting	N/A	N/A	Standard LED accent lighting	Standard LED accent lighting	N/A
Glass	Tempered	Ceramic	Ceramic	Tempered	Tempered	Ceramic	Ceramic	Tempered
Ignition System	IntelliFire™ Plus	IntelliFire Plus	IntelliFire Plus	IntelliFire Plus	IntelliFire Plus	IntelliFire Plus	IntelliFire Plus	IntelliFire Plus
Flame Turndown	50%	50%	50%	30%	50%	50%	50%	30%




FRONT OPTIONS




CHATEAU FORGE
Available for C/CL/CLX models in hand-crafted, hammered steel.



GALLERIA
Available for C/CL/CLX models in black, new bronze or graphite.



CHATEAU
Available for C/CL/CLX models in black, new bronze or graphite.



HALSTON
Available for C/CL/CLX models in black, new bronze or graphite.



ARCADIA
Available for C/CL/CLX models in black, new bronze or graphite.



CLEAN FACE
Available for C/CL/CLX models in black, new bronze or graphite.



FOLIO
Available for C/CL/CLX and Modern models in black, new bronze or graphite.



MODERN
Available for Modern models in black or fog gray.

FRONT FINISHES

6000/8000 fronts are available in a variety of finishes. Refer to the front options shown above for the finishes that are available on your front of choice.



C/CL/CLX INTERIOR OPTIONS

Textured brick interiors add intricate detail and a traditional masonry appearance.



BLACK METAL
(Standard on C models)

STRATFORD
(Standard on CL/CLX models; optional on C models)

TAHOE TAN
(Standard on CL/CLX models)

MODERN INTERIOR OPTIONS

Accent the firebox with glass. Four cool color options to warm up your flame.



CRYSTAL GLASS
(Standard)

EBONY GLASS

AMBER GLASS

COBALT GLASS

SELECT A MANTEL SYSTEM

Complete your fireplace with distinctive style. A variety of mantel systems can transform your space. Select from a range of styles. Visit heatnglo.com for more options and additional information on mantel systems, shelves and stone surrounds.



CONTROL OPTIONS

	Wall Switch or Remote Control	On/ Off	Fan Speed	Flame High/Low	Pilot Activation	AUX Function	Temp Readout	Thermostat Mode	Timer Mode	Battery Strength Indicator	Auto Battery Backup
IntelliFire Plus RC300 (included standard with CL and CLX models)		Remote with docking station	•	•	•	•	•	•	•	•	•
IntelliFire Plus RC200		Remote with docking station	•	•	•	•				•	•
IntelliFire Plus RC100		Wall switch	•								

6000 & 8000 TECHNOLOGIES



INTELLIFIRE PLUS IGNITION SYSTEM

An advanced intermittent pilot ignition system with memory settings and a programmable wireless RC300 remote control. IPI Plus constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs.



DIRECT VENT TECHNOLOGY

Direct Vent fireplaces remove 100% of combustion exhaust and odors outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.



HEAT MANAGEMENT TECHNOLOGY

Bring the warmth from your fireplace to the rest of your home, up to 20 feet away. Heat management technology can redirect up to 50% of the heat to another area, also reducing wall temperatures above the fireplace. Choose between a heat zone kit to transfer heat where you want it, or utilizing your existing furnace ductwork with a heat duct kit.



POWER VENT TECHNOLOGY

No matter where you want to install your gas fireplace, power venting technology makes it possible. This extremely flexible, versatile technology is small enough to effectively navigate you home to an effective vent location, which in turn provides you with optimal performance, every time.



LED ACCENT LIGHTING

Superior performance and extended efficiency. This technology provides high-contrast, brilliant lighting to accentuate the flames. Can be used as mood lighting, with or without the flames.



LED EMBER BED

Add an extra layer of dimension and light to your fire. Realistic illuminated LED embers let you enjoy the ambiance, with or without the fire.



FADE-RESISTANT BLACK GLASS PANELS

A clean modern look never gets dull. Just like this black glass interior. It's hot. And looks that way, too. For the life of your fireplace.




HIGH DEFINITION LOGS

Logs are a key element of your fireside experience. All Heat & Glo logs are hand-painted. For the most authentic appearance and highest level of detail, opt for the CLX model with high definition logs.


6000 & 8000 SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT (NG)
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
6000CLX, 6000CL, 6000C, 6000 MODERN	41 [1041]	42 [1067]	28-1/2 [724]	42 [1067]	39-7/8 [1013]	40-1/8 [1019]	21-1/2 [546]	22 [559]	32 x 21-1/2 [813 x 546]	CLX: 40,000 CL: 35,000 C: 30,000 MODERN: 28,000
8000CLX, 8000CL, 8000C, 8000 MODERN	48 [1219]	49 [1245]	35-1/2 [901]	49 [1245]	41-7/8 [1064]	42-1/8 [1070]	21-1/2 [546]	22 [559]	39 x 23-5/8 [991 x 600]	CLX: 45,000 CL: 40,000 C: 35,000 MODERN: 32,000


LEFT SIDE VIEW




TOP VIEW



RIGHT SIDE VIEW



FRONT VIEW



MODEL	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
6000C 6000CL 6000CLX	41 [1041]	36-1/8 [918]	33-1/2 [851]	34-5/8 [879]	2-1/4 [57]	9-11/16 [246]	26-7/8 [683]	6 [152]	39-7/8 [1013]	21 [533]	11-11/16 [297]	28-1/2 [724]	14-1/4 [362]	8-1/2 [216]	2-7/8 [73]	8-1/2 [216]	1 [25]	40-7/8 [1038]
6000 MODERN	41 [1041]	36-1/8 [918]	33-1/2 [851]	34-5/8 [879]	2-1/4 [57]	9-11/16 [246]	26-7/8 [683]	6 [152]	39-7/8 [1013]	21 [533]	11-11/16 [297]	28-1/2 [724]	14-1/4 [362]	8-1/2 [216]	2-7/8 [73]	8-1/2 [216]	1 [25]	40-7/8 [1038]
8000C 8000CL 8000CLX	48 [1219]	43-1/8 [1096]	35-1/2 [902]	36-5/8 [930]	2-3/8 [60]	9-15/16 [252]	28-7/8 [734]	6 [152]	41-7/8 [1064]	21 [533]	11-11/16 [297]	35-1/2 [901]	17-3/4 [451]	8-1/2 [216]	2-7/8 [73]	8-1/2 [216]	1 [25]	42-7/8 [1089]
8000 MODERN	48 [1219]	43-1/8 [1096]	35-1/2 [902]	36-5/8 [930]	2-3/8 [60]	9-15/16 [252]	28-7/8 [734]	6 [152]	41-7/8 [1064]	21 [533]	11-11/16 [297]	35-1/2 [901]	17-3/4 [451]	8-1/2 [216]	2-7/8 [73]	8-1/2 [216]	1 [25]	42-7/8 [1089]

Dimensions are in inches and millimeters. Product information is not complete and is subject to change without notice. Product installation must adhere strictly to instructions shipped with product. We recommend measuring individual units at installation. Assumes the use of 1/2" sheetrock. NOTE: Combustible material should not cover the face. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo® reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Actual product appearance, including flame, may differ from product images.

U.S. EFFICIENCIES

Steady State - Since most homeowners use their fireplaces for an extended time while they are in the room, Steady State measures how efficiently your fireplace converts fuel to heat once it is warmed up and running in a "steady state".

AFUE - AFUE rating is more typically used with appliances, like your furnace, that continually cycle on and off to maintain a constant temperature.

RATING	6000 CLX	6000 CL	6000 C	8000 CLX	8000 CL	8000 C	6000 MODERN	8000 MODERN
STEADY STATE	83% (NG)	82% (NG)	81% (NG)	84% (NG)	83% (NG)	83% (NG)	79% (NG)	78% (NG)
AFUE	65% (NG)	64% (NG)	60% (NG)	66% (NG)	62% (NG)	63% (NG)	61% (NG)	56% (NG)

CANADA EFFICIENCIES

EnerGuide (CSA P.4.1-15) - EnerGuide is a rating used in Canada to measure annual fireplace efficiency.

RATING	6000 CLX	6000 CL	6000 C	8000 CLX	8000 CL	8000 C	6000 MODERN	8000 MODERN
ENERGUIDE (CSA P.4.1-15)	67% (NG)	68% (NG)	64% (NG)	68% (NG)	65% (NG)	67% (NG)	63% (NG)	62% (NG)

For complete information on this model, please contact us at:

HEAT & GLO®

No one builds a better fire

Web: heatnglo.com
Phone: (888) 427-3973 (952) 985-6000
E-mail: info@heatnglo.com

[facebook.com/HeatandGlo](https://www.facebook.com/HeatandGlo)
twitter.com/HeatandGlo
[youtube.com/HeatandGlo](https://www.youtube.com/HeatandGlo)

HNG-1137U-0617

LIMITED LIFETIME WARRANTY*

The strongest in the industry, Heat & Glo® provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

*For full warranty details, go to www.heatnglo.com.
Fireplace glass and other surfaces get extremely HOT and can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit www.heatnglo.com/fireplacesafety

