

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

INDEX

DIRECT VENT GAS FIREPLACES

CONTEMPORARY DESIGN

ARIES CD33.....	13-44
ARIES CD35.....	13-45
ARIES CD40.....	13-46
ARIES CD45.....	13-47
ENVY CD 35.....	13-29
ENVY CD 40.....	13-30
ENVY CD 45.....	13-31
GEMINI CD35.....	13-42
GEMINI CD40.....	13-43
MONTEBELLO DLXCD40.....	13-34
MONTEBELLO DLXCD45.....	13-35
RHAPSODY 42.....	13-32
RHAPSODY 54.....	13-33
SCORPIO CD35.....	13-39
SCORPIO CD40.....	13-40
SCORPIO CD45.....	13-41
SIRIUS 42.....	13-37
SIRIUS 54.....	13-38
VENICE LIGHTS.....	13-36

TRADITIONAL DESIGN

ALTAIR 40.....	13-11
ALTAIR 45.....	13-12
ARIES 33.....	13-25
ARIES 35.....	13-26
ARIES 40.....	13-27
ARIES 45.....	13-28
DEVONSHIRE 36 LUXURY SERIES.....	13-5
DEVONSHIRE 42 LUXURY SERIES.....	13-6

DIRECT VENT GAS FIREPLACES (cont'd)

TRADITIONAL DESIGN (cont'd)

ENVY 35 LUXURY SERIES.....	13-2
ENVY 40 LUXURY SERIES.....	13-3
ENVY 45 LUXURY SERIES.....	13-4
EROS 35PF.....	13-24
EROS 35ST.....	13-23
GEMINI 33.....	13-19
GEMINI 35.....	13-20
GEMINI 40.....	13-21
GEMINI 45.....	13-22
LIBRA 40CR/L.....	13-15
LIBRA 40PF.....	13-14
LIBRA 40ST.....	13-13
MONTEBELLO DLX 40.....	13-7
MONTEBELLO DLX 45.....	13-8
MONTEBELLO ST.....	13-9
SCORPIO 35.....	13-16
SCORPIO 40.....	13-17
SCORPIO 45.....	13-18
SENTINEL 36.....	13-10
SENTINEL 42.....	13-10

SECURE VENT™ DIRECT VENT SYSTEM

4.5" / 7.5" RIGID VENT SYSTEM.....	13-48
5" – 8" DIRECT VENT COAXIAL CHIMNEY.....	13-51
8" / 11" RIGID VENT SYSTEM.....	13-50
SECURE FLEX™ FLEXIBLE VENT SYSTEM.....	13-49

Available in Calgary, Alberta

Expert Service. Quality Products. Since 1960.

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN

ENVY 35 LUXURY SERIES

Model	Weight	Cu. Ft.	BTU/HR
ENVY35 N	178#	22.9	15,500 - 35,500

**LUXURY
SERIES**

ENVY35

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. OMNI (050-S-12b-5)116-F-22-5)

35" DIRECT VENT GAS FIREPLACE, FRONT VIEW, RADIANT

The Envy Series direct vent fireplaces include a multi-stage ceramic burner with FullFlame™ Technology, volcanic rock, Proflame II control system with full function remote and a switchable IPI feature. These elegant fireplaces also come standard with ceramic glass, a clean face trim kit and integrated barrier for added safety. The log set and a choice of ceramic or porcelain liners must be ordered separately.

Uses 4.5" x 7.5" Secure Vent™ Rigid and Flexible Direct Vent Components



Item #	Material #	Model	Description	Price
639704	F1455	Envy35TEN	35" Traditional, Natural, Electronic Ignition	P.O.A.

REQUIRED ACCESSORIES (Order Separately)



Traditional Log Set (Order One)

C639700	H8707	LOG-OAK-DLSCNV35	35" Heritage Oak Hi-Definition Log Set	P.O.A.
---------	-------	------------------	--	--------

Porcelain Liners (Order One)

616605	H8955	LKP-BK-NV35	Porcelain Liner, Black	P.O.A.
--------	-------	-------------	------------------------	--------

Ceramic Fiber Liners (Order One)



640278	H8729	LKC-T-RD-NV35	Ceramic Fiber Liner, Merlot	P.O.A.
640279	H8730	LKC-T-BF-NV35	Ceramic Fiber Liner, Champagne	P.O.A.

OPTIONAL ACCESSORIES



Façades

640284	H8739	FAC-SF-BK-NV35	Façade, Santa Fe, Black	P.O.A.
640285	H8740	FAC-BAL-BK-NV35	Façade, Balustrade, Black	P.O.A.
640288	H8741	FAC-DECO-BK-NV35	Façade, Deco, Black	P.O.A.



Andirons (Traditional Only)

640277	H8723	AK-CLS-NV	Andiron Kit, Classic	P.O.A.
--------	-------	-----------	----------------------	--------



Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
C639700	H8754	GCK-NV35NP	Gas Conversion Kit, NG to LP	P.O.A.
C639700	H8755	GCK-NV35PN	Gas Conversion Kit, LP to NG	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

ENVY 40 LUXURY SERIES

Model	Weight	Cu. Ft.	BTU/HR
ENVY40TEN	228#	22.9	15,500-41,500

**LUXURY
SERIES**


ENVY 40

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. OMNI (050-S-12b-5)116-F-22-5)

40" DIRECT VENT GAS FIREPLACE, FRONT VIEW, RADIANT

The Envy Series direct vent fireplaces include a multi-stage ceramic burner with FullFlame™ Technology, volcanic rock, Proflame II control system with full function remote and a switchable IPI feature. These elegant fireplaces also come standard with ceramic glass, a clean face trim kit and integrated barrier for added safety. The log set and a choice of ceramic or porcelain liners must be ordered separately.

Uses 4.5" x 7.5" Secure Vent™ Rigid and Flexible Direct Vent Components

	Item #	Material #	Model	Description	Price
	639703	F1454	Envy40TEN	40" Traditional, Natural, Electronic Ignition	P.O.A.

REQUIRED ACCESSORIES (Order Separately)




Traditional Log Set (Order One)

616624	H8708	LOG-OAK-DLSCNV40	40" Heritage Oak Hi-Definition Log Set	P.O.A.
--------	-------	------------------	--	--------

Porcelain Liners (Order One)

616625	H8956	LKP-BK-NV40	Porcelain Liner, Black	P.O.A.
--------	-------	-------------	------------------------	--------

Ceramic Fiber Liners (Order One)



640266	H8711	LKC-T-RD-NV40	Ceramic Fiber Liner, Merlot	P.O.A.
640267	H8712	LKC-T-BF-NV40	Ceramic Fiber Liner, Champagne	P.O.A.

OPTIONAL ACCESSORIES



Façades

640270	H8715	FAC-SF-BK-NV40	Façade, Santa Fe, Black	P.O.A.
640271	H8716	FAC-BAL-BK-NV40	Façade, Balustrade, Black	P.O.A.
640272	H8717	FAC-DECO-BK-NV40	Façade, Deco, Black	P.O.A.



Andirons (Traditional Only)

640277	H8723	AK-CLS-NV	Andiron Kit, Classic	P.O.A.
--------	-------	-----------	----------------------	--------



Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
C639700	H8722	GCK-NV40NP	Gas Conversion Kit, NG to LP	P.O.A.
C639700	H8756	GCK-NV40PN	Gas Conversion Kit, LP to NG	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

ENVY 45 LUXURY SERIES

Model	Weight	Cu. Ft.	BTU/HR
ENVY45 N	238#	25.8	18,000-47,000

**LUXURY
SERIES**


ENVY 45

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. OMNI (050-S-12b-5)116-F-22-5)

45" DIRECT VENT GAS FIREPLACE, FRONT VIEW, RADIANT

The Envy Series direct vent fireplaces include a multi-stage ceramic burner with FullFlame™ Technology, volcanic rock, Proflame II control system with full function remote and a switchable IPI feature. These elegant fireplaces also come standard with ceramic glass, a clean face trim kit and integrated barrier for added safety. The log set and a choice of ceramic or porcelain liners must be ordered separately.

Uses 4.5" x 7.5" Secure Vent™ Rigid and Flexible Direct Vent Components

	Item #	Material #	Model	Description	Price
	639702	F1453	Envy45TEN	45" Traditional, Natural, Electronic Ignition	P.O.A.

REQUIRED ACCESSORIES (Order Separately)




Traditional Log Set (Order One)

616638	H8824	LOG-OAK-DLSCNV45	45" Heritage Oak Hi-Definition Log Set	P.O.A.
--------	-------	------------------	--	--------

Porcelain Liners (Order One)

616639	H8957	LKP-BK-NV45	Porcelain Liner, Black	P.O.A.
--------	-------	-------------	------------------------	--------



Ceramic Fiber Liners (Order One)

640282	H8732	LKC-T-RD-NV45	Ceramic Fiber Liner, Merlot	P.O.A.
640283	H8733	LKC-T-BF-NV45	Ceramic Fiber Liner, Champagne	P.O.A.

OPTIONAL ACCESSORIES



Façades

640221	H8719	FAC-SF-BK-NV45	Façade, Santa Fe, Black	P.O.A.
--------	-------	----------------	-------------------------	--------



C639700	H8720	FAC-BAL-BK-NV45	Façade, Balustrade, Black	P.O.A.
---------	-------	-----------------	---------------------------	--------



640273	H8721	FAC-DECO-BK-NV45	Façade, Deco, Black	P.O.A.
--------	-------	------------------	---------------------	--------

Andirons (Traditional Only)



640277	H8723	AK-CLS-NV	Andiron Kit, Classic	P.O.A.
--------	-------	-----------	----------------------	--------

Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
C639700	H8757	GCK-NV45NP	Gas Conversion Kit, NG to LP	P.O.A.
C639700	H8758	GCK-NV45PN	Gas Conversion Kit, LP to NG	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

DEVONSHIRE 36 LUXURY SERIES

Model	Weight	Cu. Ft.	BTU/HR
Devonshire 36N	234#	53.3	46,000
Devonshire 36P	234#	53.3	41,000

**LUXURY
SERIES**

DEVONSHIRE 36

Agency Listing – ANSI Z21.50 / CSA 2.22 Listed in PSF (F09-099)

36" DIRECT VENT FIREPLACES

The Devonshire is a low to the floor, clean faced fireplace with unmatched features. The low profile ember burner features a mature random fire log stack with plenty of flame and strong deep glow. The natural hand detailed refractory panels are available in ivory, red and tan for both stacked brick and herringbone patterns. It utilizes a fully electronic ignition system with 50% turn down capacity. It has the option of operating by wall switch or included remote control, and comes standard with a factory installed blower. Includes ceramic glass. All units are equipped with a standard barrier that meets 2015 requirements.

Uses P58 5" / 8" Direct Vent Coaxial Chimney



Item #	Material #	Model	Description	Price
C639700	F1547	Devonshire36TEN	36" DV, Natural, Herringbone Ivory	P.O.A.
C639700	F1548	Devonshire36TEN	36" DV, Natural, Herringbone Red	P.O.A.
C639700	F1546	Devonshire36TEN	36" DV, Natural, LedgeStone Tan	P.O.A.
C639700	F1545	Devonshire36TEN	36" DV, Natural, Stacked Red	P.O.A.
C639700	F1544	Devonshire36TEN	36" DV, Natural, Stacked Ivory	P.O.A.
C639700	F1549	Devonshire36TEP	36" DV, Propane, Herringbone Ivory	P.O.A.
C639700	F1550	Devonshire36TEP	36" DV, Propane, Herringbone Red	P.O.A.
C639700	F1551	Devonshire36TEP	36" DV, Propane, LedgeStone Tan	P.O.A.
C639700	F1553	Devonshire36TEP	36" DV, Propane, Stacked Red	P.O.A.
C639700	F1552	Devonshire36TEP	36" DV, Propane, Stacked Ivory	P.O.A.

OPTIONAL ACCESSORIES

Common Accessories

C639700	F1108	PCDE-36D	Gas Conversion Kit Electronic Ignition – NG to LP	P.O.A.
C639700	F1109	NCDE-36D	Gas Conversion Kit Electronic Ignition – LP to NG	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

DEVONSHIRE 42 LUXURY SERIES

Model	Weight	Cu. Ft.	BTU/HR
Devonshire 42N	328#	53.3	56,000
Devonshire 42P	328#	53.3	50,000

**LUXURY
SERIES**

DEVONSHIRE 42

Agency Listing – ANSI Z21.50 / CSA 2.22 Listed in PSF (F09-099)

42" DIRECT VENT FIREPLACES

The Devonshire is a low to the floor, clean faced fireplace with unmatched features. The low profile ember burner features a mature random fire log stack with plenty of flame and strong deep glow. The natural hand detailed refractory panels are available in ivory, red and tan for both stacked brick and herringbone patterns. It utilizes a fully electronic ignition system with 50% turn down capacity. It has the option of operating by wall switch or included remote control, and comes standard with a factory installed blower. Includes ceramic glass. All units are equipped with a standard barrier that meets 2015 requirements.

Uses P58 5" / 8" Direct Vent Coaxial Chimney

Item #	Material #	Model	Description	Price	
	C639700	F1554	Devonshire42TEN	42" DV, Natural, Herringbone Ivory	P.O.A.
	C639700	F1555	Devonshire42TEN	42" DV, Natural, Herringbone Red	P.O.A.
	C639700	F1556	Devonshire42TEN	42" DV, Natural, LedgeStone Tan	P.O.A.
	C639700	F1558	Devonshire42TEN	42" DV, Natural, Stacked Red	P.O.A.
	C639700	F1557	Devonshire42TEN	42" DV, Natural, Stacked Ivory	P.O.A.
	C639700	F1559	Devonshire42TEP	42" DV, Propane, Herringbone Ivory	P.O.A.
	C639700	F1563	Devonshire42TEP	42" DV, Propane, Herringbone Red	P.O.A.
	C639700	F1561	Devonshire42TEP	42" DV, Propane, LedgeStone Tan	P.O.A.
	C639700	F1560	Devonshire42TEP	42" DV, Propane, Stacked Red	P.O.A.
	C639700	F1562	Devonshire42TEP	42" DV, Propane, Stacked Ivory	P.O.A.

OPTIONAL ACCESSORIES

Common Accessories				
C639700	F1110	PCDE-42D	Gas Conversion Kit Electronic Ignition – NG to LP	P.O.A.
C639700	F1111	NCDE-42D	Gas Conversion Kit Electronic Ignition – LP to NG	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

MONTEBELLO DLX 40

Model	Weight	Cu. Ft.	BTU/HR
MDLX40 N	258#	48.3	50,000
MDLX40 P	258#	48.3	50,000
MDLX40PV	260#	48.3	42,000

MONTEBELLO DLX 40

Agency Listing: Built to ANSI Z21.50b-2005 and CSA 2.22b-2005 & CAN/CGA 2.17-M91 standards. Listed by PFS (F14-106)

40" MONTEBELLO® DLX DIRECT VENT GAS FIREPLACES, TOP VENT, FRONT VIEW, LOUVERLESS

The Montebello DLX Direct Vent Fireplace offers the beauty and performance to make it a stunning centerpiece for any home. Premium, split-oak log set and beautiful glowing embers provide fine detailing that replicates the natural look of a real wood fire. The focal point of the Montebello DLX is its exceptionally tall, dancing flame seen through an expansive ceramic-glass opening for unmatched clarity and radiance. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 8" / 11" Secure Vent™ Rigid Direct Vent Components

Power Vent Unit Uses 4.5" / 7.5" Secure Vent™ Rigid Direct Vent Components




Item #	Material #	Model	Description	Price
C639700	F2200	Montebello DLX40TEN	40" DV, Traditional, Natural, Electronic Ignition	P.O.A.
C639700	F2204	Montebello DLX40TEP	40" DV, Traditional, Propane, Electronic Ignition	P.O.A.
C639700	F2216	Montebello DLX40TYN	40" DV, Traditional, Natural, Electronic Ignition, Power Vent	P.O.A.

Shown with Herringbone Liner

REQUIRED ACCESSORIES (Order Separately)



Log Sets (One Required)				
617276	H8676	LOG-OAK-MDLX4045	Oak Log Set	P.O.A.



Liners (One Required – Order Separately)				
617282	H8581	LKP-BK-MDLX40	Porcelain Liner, Black	P.O.A.
616991	H2220	BLKH-LSM40	Ceramic Fiber Liner, Buff Herringbone	P.O.A.
616850	H4803	BLK-REDH-LSM40	Ceramic Fiber Liner, Red Herringbone	P.O.A.
617284	H8697	LKC-BFRS-MDLX40	Ceramic Fiber Liner, Buff Rustic	P.O.A.
617286	H8698	LKC-RDRS-MDLX40	Ceramic Fiber Liner, Red Rustic	P.O.A.



Power Vent Kit (For use on F2216 only)				
617064	H7920	LSMPVK	Power Vent Kit	P.O.A.

OPTIONAL ACCESSORIES



Classic

Freestanding Screen Kits				
617067	H5051	DASK-LSM40-2	Dual Arch Screen Kit	P.O.A.
616874	H5052	SK-LSM40-2	Classic Screen Kit	P.O.A.



AKM



AKC

Andiron Kits				
617009	H2227	AKM-LSM	Andiron Kit, Mission	P.O.A.
617010	H2228	AKC-LSM	Andiron Kit, Classic	P.O.A.

Common Accessories				
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
617280	H8668	GCK-MDLX40NP	NG to LP Gas Conversion Kit	P.O.A.
C639700	H8670	GCK-MDLX40PN	LP to NG Gas Conversion Kit	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

MONTEBELLO DLX 45

Model	Weight	Cubic Ft.	BTU/HR
MDLX45N	300#	58.0	57,000
MDLX45P	300#	58.0	56,000
MLDX45PV	302#	58.0	48,000

MONTEBELLO DLX 45

Agency Listing: Built to ANSI Z21.50b-2005 and CSA 2.22b-2005 & CAN/CGA 2.17-M91 standards. Listed by PFS (F14-106)

45" MONTEBELLO® DLX DIRECT VENT GAS FIREPLACES, TOP VENT, FRONT VIEW, LOUVERLESS

The Montebello DLX Direct Vent Fireplace offers the beauty and performance to make it a stunning centerpiece for any home. Premium, split-oak log set and beautiful glowing embers provide fine detailing that replicates the natural look of a real wood fire. The focal point of the Montebello DLX is its exceptionally tall, dancing flame seen through an expansive ceramic-glass opening for unmatched clarity and radiance. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 8" / 11" Secure Vent™ Rigid Direct Vent Components

Power Vent Unit Uses 4.5" / 7.5" Secure Vent™ Rigid Direct Vent Components

Item #	Material #	Model	Description	Price	
	C639700	F2201	Montebello DLX45TEN	45" DV, Traditional, Natural, Electronic Ignition	P.O.A.
	C639700	F2203	Montebello DLX45TEP	45" DV, Traditional, Propane, Electronic Ignition	P.O.A.
	C639700	F2217	Montebello DLX45TYN	45" DV, Traditional, Natural, Electronic Ignition, Power Vent	P.O.A.

Shown with Herringbone Liner

REQUIRED ACCESSORIES (Order Separately)

				Log Sets (One Required)	
	617276	H8676	LOG-OAK-MDLX4045	Oak Log Set	P.O.A.

Liners (One Required – Order Separately)					
	617294	H8696	LKP-BK-MDLX45	Porcelain Liner, Black	P.O.A.
	616995	H2224	BLKH-LSM45	Ceramic Fiber Liner, Buff Herringbone	P.O.A.
	616852	H4804	BLK-REDH-LSM45	Ceramic Fiber Liner, Red Herringbone	P.O.A.
	617296	H8699	LKC-BFRS-MDLX45	Ceramic Fiber Liner, Buff Rustic	P.O.A.
	617298	H8700	LKC-RDRS-MDLX45	Ceramic Fiber Liner, Red Rustic	P.O.A.

Power Vent Kit (For use on F2217 only)					
	617064	H7920	LSMPVK	Power Vent Kit	P.O.A.

OPTIONAL ACCESSORIES

Freestanding Screen Kits						
	Dual Arch	616878	H5054	DASK-LSM45-2	Dual Arch Screen Kit	P.O.A.
	Classic	616880	H5055	SK-LSM45-2	Classic Screen Kit	P.O.A.

Andiron Kits						
	AKM	617009	H2227	AKM-LSM	Andiron Kit, Mission	P.O.A.
	AKC	617010	H2228	AKC-LSM	Andiron Kit, Classic	P.O.A.

Common Accessories					
	617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
	617620	88L53	FGE	Glowing Embers	P.O.A.
	C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
	C639700	H8671	GCK-MDLX45PN	LP to NG Gas Conversion Kit	P.O.A.
	617300	H8669	GCK-MDLX45NP	NG to LP Gas Conversion Kit	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

MONTEBELLO ST

Model	Weight	Cu. Ft.	BTU/HR
MONTEBELLOSTN	383#	52.2	60,000
MONTEBELLOSTP	383#	52.2	56,000

MONTEBELLO ST

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. Listed by PFS (14-107)

40" MONTEBELLO® DIRECT VENT GAS FIREPLACES, TOP VENT, SEE THROUGH, LOUVERLESS

The Montebello ST Direct Vent Fireplace offers the beauty and performance to make it a stunning centerpiece for any home. Premium, split-oak log set and beautiful glowing embers provide fine detailing that replicates the natural look of a real wood fire. The focal point of the Montebello ST is its exceptionally tall, dancing flame seen through an expansive ceramic-glass opening for unmatched clarity and radiance. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 8" / 11" Secure Vent™ Rigid Direct Vent Components

Power Vent Unit Uses 4.5" / 7.5" Secure Vent™ Rigid Direct Vent Components



Item #	Material #	Model	Description	Price
C639700	F2228	Montebello STTEN	40" DV, See-Through, Natural Electronic	P.O.A.
C639700	F2229	Montebello STTEP	40" DV, See-Through, Propane Electronic	P.O.A.
C639700	F2230	Montebello STTYN	40" DV, See-Through, Power Vent, Electronic	P.O.A.

REQUIRED ACCESSORIES (Order Separately)



Liner Kits (One Required)				
617056	H7942	BLKR-LSM40ST	Buff Rustic	P.O.A.
617057	H7943	BLKH-LSM40ST	Buff Herringbone	P.O.A.
C639700	H7946	BLK-ARCH-LSM40ST	Architectural Stone	P.O.A.
617059	H7947	BLK-VT-LSM40ST	Venetian Tile	P.O.A.
617060	H8291	BLKB-LSM40ST	Black Rustic	P.O.A.
617062	H7948	BLK-BP-LSM40ST	Black Porcelain	P.O.A.



Power Vent Kit (For use on F2230 only)				
617064	H7920	LSMPVK	Power Vent Kit	P.O.A.



Outdoor Kits				
640330	F2231	LSM40ST-ODKSG	Outdoor Window Kit (Light-Tinted Glass) With Outdoor Barrier	P.O.A.
640331	F2232	LSM40ST-ODKTSF	Outdoor Window Kit (Dark-Tinted Glass) With Outdoor Barrier	P.O.A.

OPTIONAL ACCESSORIES



Dual Arch

Freestanding Screen Kits				
617067	H5051	DASK-LSM40-2	Dual Arch Screen Kit	P.O.A.
616874	H5052	SK-LSM40-2	Classic Screen Kit	P.O.A.

Classic



For indoor/indoor installation – use 2



AKM



AKC

Andriron Kits				
617009	H2227	AKM-LSM	Andriron Kit, Mission	P.O.A.
617010	H2228	AKC-LSM	Andriron Kit, Classic	P.O.A.

Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
C639700	H8312	PGE	Platinum Glowing Embers	P.O.A.
617071	H7951	GCK-NP-LSM40ST	Electronic, Natural to Propane (SIT)	P.O.A.
C639700	H7952	GCK-PN-LSM40ST	Electronic, Propane to Natural (SIT)	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

SENTINEL 36

Model	Weight	Cu. Ft.	BTU/HR
Sentinel 36N	300#	53.3	33,500
Sentinel 36P	300#	53.3	31,000

SENTINEL 36

Agency Listing – ANSI Z21.50 / CSA 2.22 Listed in PFS (F09-099)

36" DIRECT VENT FIREPLACES

The Sentinel direct vent unit offers a clean design. There are no metal grills; just realistic flames, glowing embers and a great log stack. Refractory panels are available in either classic stacked or herringbone pattern. The Sentinel is equipped with electronic ignition which functions with a wall switch or remote control. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 5" / 8" Direct Vent Coaxial Chimney



Item #	Material #	Model	Description	Price
C639700	F2288	Sentinel36TEN	36" DV, Fireplace, Natural, Herringbone Red	P.O.A.
C639700	F2289	Sentinel36TEN	36" DV, Fireplace, Natural, Stacked Red	P.O.A.
C639700	F2290	Sentinel36TEP	36" DV, Fireplace, Propane, Herringbone Red	P.O.A.
C639700	F2291	Sentinel36TEP	36" DV, Fireplace, Propane, Stacked Red	P.O.A.
C639700	F1577	Sentinel36TEN	36" DV, Fireplace, Natural, Herringbone White	P.O.A.
C639700	F1578	Sentinel36TEN	36" DV, Fireplace, Natural, Stacked White	P.O.A.
C639700	F1579	Sentinel36TEP	36" DV, Fireplace, Propane, Herringbone White	P.O.A.
C639700	F1580	Sentinel36TEP	36" DV, Fireplace, Propane, Stacked White	P.O.A.

OPTIONAL ACCESSORIES

Common Accessories

640332	F1102	PCD-36S	Gas Conversion Kit Electronic Ignition – NG to LP	P.O.A.
C639700	F1103	NCD-36S	Gas Conversion Kit Electronic Ignition – LP to NG	P.O.A.

SENTINEL 42

Model	Weight	Cu. Ft.	BTU/HR
Sentinel 42N	410#	53.3	41,000
Sentinel 42P	410#	53.3	37,000

SENTINEL 42

Agency Listing – ANSI Z21.50 / CSA 2.22 Listed in PFS (F09-099)

42" DIRECT VENT FIREPLACES

The Sentinel direct vent unit offers a clean design which shows you everything you want and nothing you don't. No metal grills; just realistic flames, glowing embers and a great log stack. The industry's finest traditional firebrick is available in either classic herringbone or stacked brick. Equipped with a fully electronic ignition and includes remote control. The Sentinel's operating system is equipped with a fully electronic ignition which functions with a wall switch or remote control which is included with every unit. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 5" / 8" Direct Vent Coaxial Chimney



Item #	Material #	Model	Description	Price
C639700	F2292	Sentinel42TEN	42" DV, Fireplace, Natural, Herringbone Red	P.O.A.
C639700	F2293	Sentinel42TEN	42" DV, Fireplace, Natural, Stacked Red	P.O.A.
C639700	F2294	Sentinel42TEP	42" DV, Fireplace, Propane, Herringbone Red	P.O.A.
C639700	F2295	Sentinel42TEP	42" DV, Fireplace, Propane, Stacked Red	P.O.A.
C639700	F1581	Sentinel42TEN	42" DV, Fireplace, Natural, Herringbone White	P.O.A.
C639700	F1582	Sentinel42TEN	42" DV, Fireplace, Natural, Stacked White	P.O.A.
C639700	F1583	Sentinel42TEP	42" DV, Fireplace, Propane, Herringbone White	P.O.A.
C639700	F1584	Sentinel42TEP	42" DV, Fireplace, Propane, Stacked White	P.O.A.

OPTIONAL ACCESSORIES

Common Accessories

640333	F1104	PCD-42S	Gas Conversion Kit Electronic Ignition – NG to LP	P.O.A.
C639700	F1105	NCD-42S	Gas Conversion Kit Electronic Ignition – LP to NG	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

ALTAIR 40

Model	Weight	Cu. Ft.	BTU/HR
Altair 40N	184#	26.6	21,000-27,000
Altair 40P	184#	26.6	21,000-27,000

ALTAIR 40

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS (F14-170)


40" DIRECT VENT GAS FIREPLACES, TOPIREAR COMBO, FRONT-VIEW, RADIANT PANELS

The deeper firebox of the Altair Series allows for more flame and embers, more heat and efficiency, and a more dramatic log set than slim chassis fireplaces. With a taller glass area and clean face appearance, the Altair is a beautiful, but powerful heater at an affordable price. Top/rear venting for maximum installation flexibility. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components


Item #	Material #	Model	Description	Price	
	C639700	F 1567	Altair 40DMN	40" DV, Natural, Millivolt, Black Interior	P.O.A.
	C639700	F 1568	Altair 40DMP	40" DV, Propane, Millivolt, Black Interior	P.O.A.
	C639700	F 1569	Altair 40DEN	40" DV, Natural, Electronic Ignition, Black Interior	P.O.A.

OPTIONAL ACCESSORIES



Ceramic Liner Kits

617078	H0776	EBLK-40	Buff Rustic	P.O.A.
617777	H2026	EBLKH-40	Buff Herringbone	P.O.A.



Blower Kits

617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.



Remote Control Kits

618521	H8862	RC-S-MODMV	Remote With Hi/Low Flame, Millivolt	P.O.A.
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.

Common Accessories

640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer	P.O.A.
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
640310	85L63	FGCK-D400MNP	Millivolt, Natural to Propane	P.O.A.
C639700	85L70	FGCK-D400MPN	Millivolt, Propane to Natural	P.O.A.
C639700	H9101	GCK-SE059P	Electronic, Natural to Propane	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

ALTAIR 45

Model	Weight	Cu. Ft.	BTU/HR
Altair 45N	202#	33.1	25,000-31,000
Altair 45P	202#	33.1	23,000-29,000

ALTAIR 45

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS (F14-170)

45" DIRECT VENT GAS FIREPLACES, TOPIREAR COMBO, FRONT VIEW, RADIANT PANELS

The deeper firebox of the Altair Series allows for more flame and embers, more heat and efficiency, and a more dramatic log set than slim chassis fireplaces. With a taller glass area and clean face appearance, the Altair is a beautiful, but powerful heater at an affordable price. Top/rear venting for maximum installation flexibility. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price	
	C639700	F1564	Altair 45DMN	45" Natural, Millivolt, Black Interior	P.O.A.
	C639700	F1565	Altair 45DMP	45" Propane, Millivolt, Black Interior	P.O.A.
	C639700	F1566	Altair 45DEN	45" Natural, Electronic Ignition, Black Interior	P.O.A.

OPTIONAL ACCESSORIES



Ceramic Brick Liner Kits

640169	H0777	EBLK-45	Buff Rustic	P.O.A.
617778	H2027	EBLKH-45	Buff Herringbone	P.O.A.



Blower Kits

617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.



Remote Control Kits

618521	H8862	RC-S-MODMV	Remote With Hi/Low Flame, Millivolt	P.O.A.
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.

Common Accessories

640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer	P.O.A.
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
640311	85L64	FGCK-D450MNP	Millivolt, Natural to Propane	P.O.A.
C639700	85L71	FGCK-D450MPN	Millivolt, Propane to Natural	P.O.A.
C639700	H9102	GCK-SE062P	Electronic, Natural to Propane	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

LIBRA 40ST

Model	Weight	Cu. Ft.	BTU/HR
Libra 40STN	291#	42.0	37,000
Libra 40STP	291#	42.0	34,000


LIBRA 40ST

Agency Listing: Built to ANSI Z21.88 standards. PFS (F14-171)

40" DIRECT VENT GAS FIREPLACES, TOP REAR COMBO, SEE-THROUGH, LOUVERLESS

The Libra 40ST, direct vent fireplace offers a multi-view see-through configuration that serves as a primary focal point for two rooms. With an exceptional glass viewing area on two sides and the intense flame presentation of a 39,000 BTU pan burner and painted black interior, the Libra 40ST creates a beautiful, natural-looking fire that enhances the comfort and elegance of multiple rooms. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
C639700	F1585	Libra 40STDMN	40" DV, See-Through, Natural, Millivolt	P.O.A.
C639700	F1586	Libra 40STDMP	40" DV, See-Through, Propane, Millivolt	P.O.A.
C639700	F1587	Libra 40STDEN	40" DV, See-Through, Natural, Electronic Ignition	P.O.A.

OPTIONAL ACCESSORIES



Ceramic Brick Liner Kits				
617081	H0779	EBLK-ST	Buff Rustic	P.O.A.
Blower Kits				
617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.
Remote Control Kits				
618521	H8862	RC-S-MODMV	Remote With Hi/Low Flame, Millivolt	P.O.A.
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
Common Accessories				
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer	P.O.A.
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
640337	F2314	GCK-40STPFMVNP	Millivolt, Natural to Propane	P.O.A.
C639700	F2318	GCK-40STPFMVPN	Millivolt, Propane to Natural	P.O.A.
640338	F2316	GCK-40STPFENP	Electronic, Natural to Propane	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

LIBRA 40PF

Model	Weight	Cu. Ft.	BTU/HR
Libra 40PFN	300#	42.0	37,000
Libra 40PFP	300#	42.0	34,000

LIBRA 40PF

Agency Listing: Built to ANSI Z21.88 standards. PFS (F14-171)

40" DIRECT VENT GAS FIREPLACES, TOP/REAR COMBO, PENINSULA, LOUVERLESS

The Libra 40PF direct vent fireplace offers a three-sided, peninsula configuration that serves as a primary focal point in the home. With an exceptional glass viewing area on three sides and the intense flame presentation of a 39,000 BTU pan burner and painted black interior, the Libra 40PF creates a beautiful, natural-looking fire that enhances the comfort and elegance in several rooms. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
C639700	F1588	Libra 40PFDMN	40" DV, Peninsula, Natural, Millivolt	P.O.A.
C639700	F1589	Libra 40PFDMP	40" DV, Peninsula, Propane, Millivolt	P.O.A.
C639700	F1590	Libra 40PFDEN	40" DV, Peninsula, Natural, Electronic Ignition	P.O.A.

OPTIONAL ACCESSORIES



Ceramic Brick Liner Kits

617080	H0778	EBLK-PF	Buff Rustic	P.O.A.
--------	-------	---------	-------------	--------

Blower Kits

617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.

Remote Control Kits

618521	H8862	RC-S-MODMV	Remote With Hi/Low Flame, Millivolt	P.O.A.
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.

Common Accessories

640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer	P.O.A.
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
640337	F2314	GCK-40STPFMVNP	Millivolt, Natural to Propane	P.O.A.
C639700	F2318	GCK-40STPFMVPN	Millivolt, Propane to Natural	P.O.A.
640338	F2316	GCK-40STPFENP	Electronic, Natural to Propane	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

LIBRA 40CR/L

Model	Weight	Cu.Ft.	BTU/HR
Libra 40CR/L.N	299#	42.0	31,000
Libra 40CR/L.P	299#	42.0	28,000

LIBRA 40CRIL

Agency Listing: Built to ANSI Z21.88 standards. PFS (F14-171)

40" DIRECT VENT GAS FIREPLACES, TOPIREAR COMBO, CORNER LEFT & RIGHT, LOUVERED

The Libra 40CR/L direct vent fireplace offers a two-sided, corner configuration, facing the left (CL) or right side (CR), which serves as a primary focal point in the home. With an exceptional glass viewing area on two sides and the intense flame presentation of a 39,000 BTU pan burner and painted black interior, the Libra 40CR/L creates a beautiful, natural-looking fire that enhances the comfort and elegance. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price	
LEFT CORNER					
	C639700	F1591	Libra 40CLDMN	40" DV, Corner, Left, Natural, Millivolt	P.O.A.
	C639700	F1592	Libra 40CLDMP	40" DV, Corner, Left, Propane, Millivolt	P.O.A.
	C639700	F1593	Libra 40CLDEN	40" DV, Corner, Left, Natural, Electronic Ignition	P.O.A.
RIGHT CORNER					
	C639700	F1594	Libra 40CRDMN	40" DV, Corner, Right, Natural, Millivolt	P.O.A.
	C639700	F1595	Libra 40CRDMP	40" DV, Corner, Right, Propane, Millivolt	P.O.A.
	C639700	F1596	Libra 40CRDEN	40" DV, Corner, Right, Natural, Electronic Ignition	P.O.A.

OPTIONAL ACCESSORIES

Ceramic Brick Liner Kits					
	640171	H0780	EBLK-CL	Buff Rustic, Left Open	P.O.A.
	640172	H0781	EBLK-CR	Buff Rustic, Right Open	P.O.A.
Blower Kits					
	617548	80L84	FBK-100	Standard Single Speed	P.O.A.
	617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
	617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.
Remote Control Kits					
	618521	H8862	RC-S-MODMV	Remote With Hi/Low Flame, Millivolt	P.O.A.
	618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
	617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off	P.O.A.
	618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
	618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
Common Accessories					
	640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer	P.O.A.
	640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat	P.O.A.
	617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
	617620	88L53	FGE	Glowing Embers	P.O.A.
	C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
	640339	F2315	GCK-40CRMVNP	Millivolt, Natural to Propane	P.O.A.
	C639700	F2319	GCK-40CRMVPN	Millivolt, Propane to Natural	P.O.A.
	640340	F2317	GCK-40CREVPN	Electronic, Natural to Propane	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

SCORPIO 35

Model	Weight	Cu.Ft.	BTU/HR
Scorpio35 N	102lbs	11.8	20,000
Scorpio35 P	102lbs	11.8	19,000

SCORPIO 35

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

35" SCORPIO DIRECT VENT FIREPLACES – COMBO TOP/REAR VENT


The Scorpio traditional direct vent combines beauty, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, full-featured oak logs with grate, glowing embers, interior lighting, ceramic glass, and variable speed blower. These models include the SIT Proflame II Control System with seamless battery backup, full function remote, and switchable IPI/CPI feature. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price	
	639718	F1601	Scorpio35DEN	35" DV NG, Elec, Oak Logs, Top/Rear Vent	P.O.A.
	C639700	F1602	Scorpio35DEP	35" DV LP, Elec, Oak Logs, Top/Rear Vent	P.O.A.

OPTIONAL ACCESSORIES

Liner Kits

	640341	F2224	BLKBP-35	Black Reflective Porcelain Liner 35	P.O.A.
	640342	F1825	ABLK35V	Vintage Red Stacked Ceramic Liner Kit 35	P.O.A.
	640167	F1827	MBLK35B	Buff Stacked Ceramic Liner Kit 35	P.O.A.
	640343	F2188	BLK35OTR-H	Old Town Red Herringbone Ceramic Liner Kit 35	P.O.A.

OPTIONAL ACCESSORIES

Common Accessories

C639700	F2227	AKT-DV4	Traditional Andiron Kit	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
C639700	H8931	PF2-EXTWH	25' Long Wire Harness PF2	P.O.A.
C639700	F2183	GCKSEV052P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F2181	GCKSEV086N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

SCORPIO 40

Model	Weight	Cu. Ft.	BTU/HR
Scorpio40 N	128#	15.5	24,000
Scorpio40 P	128#	15.5	22,000

SCORPIO 40

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

40" SCORPIO DIRECT VENT FIREPLACES – COMBO TOP/REAR VENT


The Scorpio traditional direct vent combines beauty, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, full-featured oak logs with grate, glowing embers, interior lighting, ceramic glass, and variable speed blower. These models include the SIT Proflame II Control System with seamless battery backup, full function remote, and switchable IPI/CPI feature. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components




Item #	Material #	Model	Description	Price
639720	F1605	Scorpio40DEN	40" DV NG, Elec, Oak Logs, Top/Rear Vent	P.O.A.
C639700	F1606	Scorpio40DEP	40" DV LP, Elec, Oak Logs, Top/Rear Vent	P.O.A.

REQUIRED ACCESSORIES (Order Separately)



Liner Kits



640344	F2225	BLKBP-40	Black Reflective Porcelain Liner 40	P.O.A.
640346	F1826	ABLK40V	Vintage Red Stacked Ceramic Liner Kit 40	P.O.A.
640168	F1828	MBLK40B	Buff Stacked Ceramic Liner Kit 40	P.O.A.
640347	F2189	BLK40OTR-H	Old Town Red Herringbone Ceramic Liner Kit 40	P.O.A.

OPTIONAL ACCESSORIES

Common Accessories

C639700	F2227	AKT-DV4	Traditional Andiron Kit	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
C639700	H8931	PF2-EXTWH	25' Long Wire Harness PF2	P.O.A.
C639700	F2182	GCKSEV093N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.
C639700	F2184	GCKSEV055P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

SCORPIO 45

Model	Weight	Cu. Ft.	BTU/HR
Scorpio45 N	128#	15.5	28,000
Scorpio45 P	128#	15.5	26,000

SCORPIO 45

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

45" SCORPIO DIRECT VENT FIREPLACES – COMBO TOP/REAR VENT

The Scorpio traditional direct vent combines beauty, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, full-featured oak logs with grate, glowing embers, interior lighting, ceramic glass, and variable speed blower. These models include the SIT Proflame II Control System with seamless battery backup, full function remote, and switchable IPI/CPI feature. All models are equipped with a standard barrier that meets 2015 requirements.


Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components




Item #	Material #	Model	Description	Price
C639700	F1609	Scorpio45DEN	45" DV NG, Elec, Oak Logs, Top/Rear	P.O.A.
C639700	F1610	Scorpio45DEP	45" DV LP, Elec, Oak Logs, Top/Rear	P.O.A.

REQUIRED ACCESSORIES (Order Separately)

Liner Kits



640348	F2226	BLKBP-45	Black Reflective Porcelain Liner	P.O.A.
--------	-------	----------	----------------------------------	--------



640349	F1888	ABLK45V	Vintage Red Brick Liner Kit 45	P.O.A.
640350	F1889	MBLK45B	Buff Brick Liner Kit 45	P.O.A.
640351	F2190	BLK45OTR-H	Old Town Red Lnr Kit 45-Herringbone	P.O.A.

OPTIONAL ACCESSORIES

Common Accessories

C639700	F2227	AKT-DV4	Traditional Andiron Kit	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
C639700	H8931	PF2-EXTWH	25' Long Wire Harness PF2	P.O.A.
640352	F2186	GCKSEV059P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F2185	GCKSEV042N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

GEMINI 33

Model	Weight	Cu. Ft.	BTU/HR
Gemini33 N	102#	11.8	14,000
Gemini33 P	102#	11.8	13,000

GEMINI 33

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094


33" GEMINI DIRECT VENT FIREPLACES – TOP OR REAR VENT

The Gemini traditional direct vent combines beauty, efficiency and convenience. A clean faced heat-circulating design with beautiful flame, glowing embers, full-featured oak logs with grate, and a modulating valve with wall-mounted switch controls for on/off and high/low flame operation. Combination top/rear flue models and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price	
	C639700	F1652	Gemini33TMN	33" DV, NG, Millivolt, Oak Logs, Top Vent	P.O.A.
	C639700	F1656	Gemini33TMP	33" DV, LP, Millivolt, Oak Logs, Top Vent	P.O.A.
	C639700	F1654	Gemini33TEN	33" DV, NG, Elec, Oak Logs, Top Vent	P.O.A.
	C639700	F1658	Gemini33TEP	33" DV, LP, Elec, Oak Logs, Top Vent	P.O.A.
	C639700	F1657	Gemini33RMN	33" DV, NG, Millivolt, Oak Logs, Rear Vent	P.O.A.
	C639700	F1653	Gemini33RMP	33" DV, LP, Millivolt, Oak Logs, Rear Vent	P.O.A.
	C639700	F1659	Gemini33REN	33" DV, NG, Elec, Oak Logs, Rear Vent	P.O.A.
	C639700	F1655	Gemini33REP	33" DV, LP, Elec, Oak Logs, Rear Vent	P.O.A.

OPTIONAL ACCESSORIES

Item #	Material #	Model	Description	Price	
Liner Kits					
	640166	F1887	MBLK33B	Buff Brick Liner Kit 33	P.O.A.
	640354	F1886	ABLK33V	Vintage Red Brick Liner Kit 33 Gemini	P.O.A.
	640355	F2187	BLK33OTR-H	Old Town Red Brk Liner Kit 33 – Herringbone	P.O.A.
Blower Kits					
	617548	80L84	FBK-100	Standard Single Speed	P.O.A.
	617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
	617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.
Wall and Remote Control Kits					
	618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
	617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
	618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
	618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
	640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
	640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
	640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
	C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.
	Common Accessories				
617620	88L53	FGE	Glowing Embers	P.O.A.	
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.	
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.	
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.	
640364	F2168	GCKSMS043P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.	
C639700	F2166	GCKSMS073N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.	
640356	F2167	GCKSES043P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.	
C639700	F2165	GCKSES073N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.	

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

GEMINI 35

Model	Weight	Cu. Ft.	BTU/HR
Gemini35 N	102lbs	11.8	16,000
Gemini35 P	102lbs	11.8	15,000

GEMINI 35

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

35" GEMINI DIRECT VENT FIREPLACES – COMBO TOP/REAR VENT


The Gemini traditional direct vent combines beauty, efficiency and convenience. A clean faced heat-circulating design with beautiful flame, glowing embers, full-featured oak logs with grate, and a modulating valve with wall-mounted switch controls for on/off and high/low flame operation. Combination top/rear flue models and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639750	F1644	Gemini35DMN	35" DV NG, Milli., Oak Logs, Top/Rear Vent	P.O.A.
C639700	F1645	Gemini35DMP	35" DV LP, Milli., Oak Logs Top/Rear Vent	P.O.A.
C639700	F1646	Gemini35DEN	35" DV NG, Elec, Oak Logs, Top/Rear Vent	P.O.A.
C639700	F1647	Gemini35DEP	35" DV LP, Elec, Oak Logs, Top/Rear Vent	P.O.A.

OPTIONAL ACCESSORIES



Liner Kits				
640342	F1825	ABLK35V	Vintage Red Brick Liner Kit 35 Gemini	P.O.A.
640167	F1827	MBLK35B	Buff Brick Liner Kit 35	P.O.A.
640343	F2188	BLK35OTR-H	Old Town Red Brk Lnr Kit 35-Herringbone	P.O.A.



Blower Kits				
617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.



Wall and Remote Control Kits				
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.

Common Accessories				
617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
640358	F2173	GCKSMS046P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
C639700	F2171	GCKSMS076N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
640359	F2175	GCKSES046P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F2169	GCKSES076N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

GEMINI 40

Model	Weight	Cu. Ft.	BTU/HR
Gemini40 N	128#	15.5	20,000
Gemini40 P	128#	15.5	19,000

GEMINI 40

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094


40" GEMINI DIRECT VENT FIREPLACES – COMBO TOPIREAR VENT

The Gemini traditional direct vent combines beauty, efficiency and convenience. A clean faced heat-circulating design with beautiful flame, glowing embers, full-featured oak logs with grate, and a modulating valve with wall-mounted switch controls for on/off and high/low flame operation. Combination top/rear flue models and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price	
	639752	F1636	Gemini40DMN	40" DV NG, Milli., Oak Logs, Top/Rear Vent	P.O.A.
	C639700	F1637	Gemini40DMP	40" DV LP, Milli., Oak Logs Top/Rear Vent	P.O.A.
	C639700	F1638	Gemini40DEN	40" DV NG, Elec, Oak Logs, Top/Rear Vent	P.O.A.
	C639700	F1639	Gemini40DEP	40" DV LP, Elec, Oak Logs, Top/Rear Vent	P.O.A.

OPTIONAL ACCESSORIES



Item #	Material #	Model	Description	Price
Liner Kits				
640346	F1826	ABLK40V	Vintage Red Brick Liner Kit 40 Gemini	P.O.A.
640168	F1828	MBLK40B	Buff Brick Liner Kit 40	P.O.A.
640347	F2189	BLK40OTR-H	Old Town Red Brk Lnr Kit 40-Herringbone	P.O.A.
Blower Kits				
617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.
Wall and Remote Control Kits				
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.
Common Accessories				
617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
640361	F2174	GCKSMS052P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
C639700	F2172	GCKSMS086N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
C639700	F2170	GCKSES086N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.
C639700	F2176	GCKSES052P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

GEMINI 45

Model	Weight	Cu. Ft.	BTU/HR
Gemini45 N	128#	15.5	21,500
Gemini45 P	128#	15.5	21,500

GEMINI 45

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

45" GEMINI DIRECT VENT FIREPLACES – COMBO TOP/REAR VENT


The Gemini traditional direct vent combines beauty, efficiency and convenience. A clean faced heat-circulating design with beautiful flame, glowing embers, full-featured oak logs with grate, and a modulating valve with wall-mounted switch controls for on/off and high/low flame operation. Combination top/rear flue models and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639754	F1628	Gemini45DMN	45" DV NG, Millivolt, Oak Logs, Top/Rear	P.O.A.
C639700	F1629	Gemini45DMP	45" DV LP, Millivolt, Oak Logs, Top/Rear	P.O.A.
C639700	F1630	Gemini45DEN	45" DV NG, Elec, Oak Logs, Top/Rear	P.O.A.
C639700	F1631	Gemini45DEP	45" DV LP, Elec, Oak Logs, Top/Rear	P.O.A.

OPTIONAL ACCESSORIES



Liner Kits				
640349	F1888	ABLK45V	Vintage Red Brick Liner Kit 45 Gemini	P.O.A.
640350	F1889	MBLK45B	Buff Brick Liner Kit 45	P.O.A.
640351	F2190	BLK45OTR-H	Old Town Red Lnr Kit 45-Herringbone	P.O.A.



Blower Kits				
617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.



Wall and Remote Control Kits				
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.

Common Accessories				
617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
640362	F2180	GCKSMS055P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
C639700	F2178	GCKSMS089N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
640363	F2179	GCKSES055P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F2177	GCKSES089N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

EROS 35ST

Model	Weight	Cu.Ft.	BTU/HR
Eros 35STN	194#	28.4	30,000
Eros 35STP	194#	28.4	28,000


EROS 35ST

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS (F14-165)

35" DIRECT VENT GAS FIREPLACES, TOPIREAR COMBO, SEE-THROUGH, LOUVERED

Virtually anywhere you can imagine a fireplace, the Eros 35ST see-through gas fireplace fits right in without taking up additional floor space. Its compact see-through design is the smallest footprint in the industry, yet it offers the largest viewing area and flame presentation for its size. The deluxe log set features fine, natural details that look real with the fire on or off. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price	
	C639700	F1660	Eros 35STDMMN	35" DVST, Natural, Millivolt Black Interior	P.O.A.
	C639700	F1661	Eros 35STDMP	35" DVST, Propane, Millivolt, Black Interior	P.O.A.
	C639700	F1662	Eros 35STDEN	35" DVST, Natural, Electronic Ignition, Black Interior	P.O.A.

OPTIONAL ACCESSORIES

Ceramic Brick Liner Kits					
	618279	H3207	MBLK-35ST	Brick Liner Kit, Buff	P.O.A.
Blower Kits					
	617548	80L84	FBK-100	Standard Single Speed	P.O.A.
	617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
	617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.
Remote Control Kits					
	618521	H8862	RC-S-MODMV	Remote With Hi/Low Flame, Millivolt	P.O.A.
	618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
	617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off	P.O.A.
	618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
	618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
Common Accessories					
	640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer	P.O.A.
	640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat	P.O.A.
	640003	80L41	FRS	Rocker Switch – On/Off	P.O.A.
	617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
	617620	88L53	FGE	Glowing Embers	P.O.A.
	C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
	640425	H3361	GCK-35STENP	Electronic Natural to Propane (Honeywell)	P.O.A.
	640424	H3360	GCK-35STMNP	Millivolt, Natural to Propane (SIT)	P.O.A.
	C639700	H2012	GCK-MP35MPN	Millivolt, Propane to Natural (SIT)	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

EROS 35PF

Model	Weight	Cu.Ft.	BTU/HR
Eros 35PFN	220#	30.0	30,000
Eros 35PFP	220#	30.0	28,000

EROS 35PF

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS (F14-165)

35" DIRECT VENT GAS FIREPLACES, TOPIREAR COMBO, PENINSULA, LOUVERED

Virtually anywhere you can imagine a fireplace, the Eros 35PF peninsula gas fireplace fits right in with out taking up additional floor space. Its compact three-sided design is the smallest footprint in the industry, yet it offers the largest viewing area and flame presentation for its size. The deluxe log set features fine, natural details that look real with the fire on or off. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639709	F1663	Eros 35PFDMN	35" DVPF, Natural, Millivolt Black Interior	P.O.A.
C639700	F1664	Eros 35PFDMP	35" DVPF, Propane, Millivolt, Black Interior	P.O.A.
C639700	F1665	Eros 35PFDEN	35" DVPF, Natural, Electronic Ignition, Black Interior	P.O.A.

OPTIONAL ACCESSORIES

Ceramic Brick Liner Kits



618279	H3207	MBLK-35ST	Brick Liner Kit, Buff	P.O.A.
--------	-------	-----------	-----------------------	--------

Blower Kits



617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.

Remote Control Kits



618521	H8862	RC-S-MODMV	Remote With Hi/Low Flame, Millivolt	P.O.A.
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.

Common Accessories

640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer	P.O.A.
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat	P.O.A.
640003	80L41	FRS	Rocker Switch – On/Off	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
640425	H3361	GCK-35STENP	Electronic Natural to Propane (Honeywell)	P.O.A.
640424	H3360	GCK-35STMNP	Millivolt, Natural to Propane (SIT)	P.O.A.
C639700	H2012	GCK-MP35MPN	Millivolt, Propane to Natural (SIT)	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

ARIES 33

Model	Weight	Cu. Ft.	BTU/HR
Aries 33 N	102#	11.8	12,000
Aries 33 P	102#	11.8	10,000

ARIES 33

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

33" ARIES DIRECT VENT FIREPLACES

The Aries Traditional direct vent combines beauty, efficiency and value. A clean faced heat-circulating design with beautiful flame, glowing embers and aged oak logs. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
C639700	F1675	Aries33TMN	33" DV, NG, Millivolt, Oak Logs, Top Vent	P.O.A.
C639700	F1676	Aries33TMP	33" DV, LP, Millivolt, Oak Logs, Top Vent	P.O.A.
C639700	F1677	Aries33TEN	33" DV, NG, Elec, Oak Logs, Top Vent	P.O.A.
C639700	F1735	Aries33TEP	33" DV, LP, Elec, Oak Logs, Top Vent	P.O.A.
C639700	F1681	Aries33RMN	33" DV, NG, Millivolt, Oak Logs, Rear Vent	P.O.A.
C639700	F1682	Aries33RMP	33" DV, LP, Millivolt, Oak Logs, Rear Vent	P.O.A.
C639700	F1683	Aries33REN	33" DV, NG, Elec, Oak Logs, Rear Vent	P.O.A.
C639700	F1737	Aries33REP	33" DV, LP, Elec, Oak Logs, Rear Vent	P.O.A.

OPTIONAL ACCESSORIES



Liner Kits

640166	F1887	MBLK33B	Buff Brick Liner Kit 33	P.O.A.
640354	F1886	ABLK33V	Vintage Red Brick Liner Kit 33 Aries	P.O.A.



Blower Kits

617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.



Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.

Common Accessories

617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
640365	F1893	GCKSMF039P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
C639700	F1891	GCKSMF067N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
640366	F1892	GCKSEF039P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F1890	GCKSEF067N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5	P.O.A.
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w/shield	P.O.A.
640153	F1799	SFKIT18CT	Flex Compact Term w/18" compressed vent	P.O.A.
640367	F1800	SFKIT24CT	Flex Compact Term w/24" compressed vent	P.O.A.
640368	F1801	SFKIT36CT	Flex Compact Term w/36" compressed vent	P.O.A.
640369	F1802	SFKIT48CT	Flex Compact Term w/48" compressed vent	P.O.A.
640155	F1803	SF45HTKCT	Compact Termination Secure Flex	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

ARIES 35

ARIES 35

Model	Weight	Cu. Ft.	BTU/HR
Aries 35 N	102lbs	11.8	14,000
Aries 35 P	102lbs	11.8	12,000

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

35" ARIES DIRECT VENT FIREPLACES


The Aries Traditional direct vent combines beauty, efficiency and value. A clean faced heat-circulating design with beautiful flame, glowing embers and oak logs. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639727	F1687	Aries35TMN	35" DV NG, Millivolt, Oak Logs, Top Vent	P.O.A.
C639700	F1688	Aries35TMP	35" DV LP, Millivolt, Oak Logs, Top Vent	P.O.A.
639729	F1689	Aries35TEN	35" DV NG, Elec, Oak Logs, Top Vent	P.O.A.
C639700	F1739	Aries35TEP	35" DV LP, Elec, Oak Logs, Top Vent	P.O.A.
639733	F1693	Aries35RMN	35" DV NG, Millivolt, Oak Logs, Rear Vent	P.O.A.
C639700	F1694	Aries35RMP	35" DV LP, Millivolt, Oak Logs Rear Vent	P.O.A.
639735	F1695	Aries35REN	35" DV NG, Elec, Oak Logs, Rear Vent	P.O.A.
C639700	F1741	Aries35REP	35" DV LP, Elec, Oak Logs, Rear Vent	P.O.A.

OPTIONAL ACCESSORIES



Liner Kits

640342	F1825	ABLK35V	Vintage Red Brick Liner Kit 35 Aries	P.O.A.
640167	F1827	MBLK35B	Buff Brick Liner Kit 35	P.O.A.



Blower Kits

617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.



Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.

Common Accessories

617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
640370	F1771	GCKSMF042P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
C639700	F1769	GCKSMF076N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
640371	F1773	GCKSEF042P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F1767	GCKSEF076N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5	P.O.A.
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w/shield	P.O.A.
640153	F1799	SFKIT18CT	Flex Compact Term w/18" compressed vent	P.O.A.
640367	F1800	SFKIT24CT	Flex Compact Term w/24" compressed vent	P.O.A.
640368	F1801	SFKIT36CT	Flex Compact Term w/36" compressed vent	P.O.A.
640369	F1802	SFKIT48CT	Flex Compact Term w/48" compressed vent	P.O.A.
640155	F1803	SF45HTKCT	Compact Termination Secure Flex	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

ARIES 40

Model	Weight	Cu. Ft.	BTU/HR
Aries 40 N.	128#	15.5	16,000
Aries 40 P	128#	15.5	15,000

ARIES 40

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

40" ARIES DIRECT VENT FIREPLACES


The Aries Traditional direct vent combines beauty, efficiency and value. A clean faced heat-circulating design with beautiful flame, glowing embers and oak logs. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639739	F1699	Aries40TMN	40" DV NG, Millivolt, Oak Logs, Top Vent	P.O.A.
C639700	F1700	Aries40TMP	40" DV LP, Millivolt, Oak Logs, Top Vent	P.O.A.
639741	F1701	Aries40TEN	40" DV NG, Elec, Oak Logs, Top Vent	P.O.A.
C639700	F1743	Aries40TEP	40" DV LP, Elec, Oak Logs, Top Vent	P.O.A.
639745	F1705	Aries40RMN	40" DV NG, Millivolt, Oak Logs, Rear Vent	P.O.A.
C639700	F1706	Aries40RMP	40" DV LP, Millivolt, Oak Logs Rear Vent	P.O.A.
639747	F1707	Aries40REN	40" DV NG, Elec, Oak Logs, Rear Vent	P.O.A.
C639700	F1745	Aries40REP	40" DV LP, Elec, Oak Logs, Rear Vent	P.O.A.

OPTIONAL ACCESSORIES



Liner Kits				
640346	F1826	ABLK40V	Vintage Red Brick Liner Kit 40 Aries	P.O.A.
640168	F1828	MBLK40B	Buff Brick Liner Kit 40	P.O.A.

Blower Kits				
617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.

Wall and Remote Control Kits				
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.

Common Accessories				
617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
640372	F1772	GCKSMF046P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
C639700	F1770	GCKSMF078N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
640373	F1774	GCKSEF046P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F1768	GCKSEF078N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

Termination Kits				
640151	F1797	SV45HTKCT	Compact Termination SV4.5	P.O.A.
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w/shield	P.O.A.
640153	F1799	SFKIT18CT	Flex Compact Term w/18" compressed vent	P.O.A.
640367	F1800	SFKIT24CT	Flex Compact Term w/24" compressed vent	P.O.A.
640368	F1801	SFKIT36CT	Flex Compact Term w/36" compressed vent	P.O.A.
640369	F1802	SFKIT48CT	Flex Compact Term w/48" compressed vent	P.O.A.
640155	F1803	SF45HTKCT	Compact Termination Secure Flex	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — TRADITIONAL DESIGN (cont'd)

ARIES 45

Model	Weight	Cu. Ft.	BTU/HR
Aries 45 N	128#	15.5	16,000
Aries 45 P	128#	15.5	15,000

ARIES 45

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

45" ARIES DIRECT VENT FIREPLACES


The Aries Traditional direct vent combines beauty, efficiency and value. A clean faced heat-circulating design with beautiful flame, glowing embers and aged oak logs. Top and rear combo flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639748	F1711	Aries45DMN	45" RNC NG, Millivolt, Oak Logs, Top/Rear	P.O.A.
C639700	F1712	Aries45DMP	45" RNC LP, Millivolt, Oak Logs, Top/Rear	P.O.A.
C639700	F1713	Aries45DEN	45" RNC NG, Elec, Oak Logs, Top/Rear	P.O.A.
C639700	F1747	Aries45DEP	45" RNC LP, Elec, Oak Logs, Top/Rear	P.O.A.

OPTIONAL ACCESSORIES



Liner Kits

640349	F1888	ABLK45V	Vintage Red Brick Liner Kit 45 Aries	P.O.A.
640350	F1889	MBLK45B	Buff Brick Liner Kit 45	P.O.A.

Blower Kits

617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.

Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.

Common Accessories

617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
C639700	F1897	GCKSMF052P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
C639700	F1895	GCKSMF086N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
C639700	F1896	GCKSEF052P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F1894	GCKSEF086N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5	P.O.A.
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w/shield	P.O.A.
640153	F1799	SFKIT18CT	Flex Compact Term w/18" compressed vent	P.O.A.
640367	F1800	SFKIT24CT	Flex Compact Term w/24" compressed vent	P.O.A.
640368	F1801	SFKIT36CT	Flex Compact Term w/36" compressed vent	P.O.A.
640369	F1802	SFKIT48CT	Flex Compact Term w/48" compressed vent	P.O.A.
640155	F1803	SF45HTKCT	Compact Termination Secure Flex	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN

ENVY CD 35

Model	Weight	Cu. Ft.	BTU/HR
ENVYCD35TEN	178#	22.9	16,000 - 31,000

**LUXURY
SERIES**

ENVY CD 35

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. OMNI (050-S-12b-5)116-F-22-5)


35" DIRECT VENT GAS FIREPLACE, FRONT VIEW, RADIANT

The Envy CD Series direct vent fireplaces include a multi-stage ceramic burner with FullFlame™ Technology, glass media (sold separately), Proflame II control system with full function remote and a switchable IPI feature. These elegant fireplaces also come standard with ceramic glass, a clean face trim kit and integrated barrier for added safety. The porcelain liner must be ordered separately.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

	Item #	Material #	Model	Description	Price
	639707	F1458	EnvyCD35TEN	35" Contemporary, Electronic, Natural	P.O.A.

REQUIRED ACCESSORIES (Order Separately)

	Item #	Material #	Model	Description	Price
	Porcelain Liner (Order One)				
	616608	H8728	LKP-BK-NVCD35	Porcelain Liner, Black	P.O.A.
	Glass Media				
	616609	H9021	GB-SKY	Glass Media, 5LB Bag, Disk, Sky	P.O.A.
	616610	H9022	GB-MIDNIGHT	Glass Media, 5LB Bag, Disk, Midnight	P.O.A.
	616611	H9023	GB-RAIN	Glass Media, 5LB Bag, Disk, Rain	P.O.A.
	616612	H9024	GB-SUNSET	Glass Media, 5LB Bag, Disk, Sunset	P.O.A.
	616613	H9025	GB-CLOUD	Glass Media, 5LB Bag, Disk, Cloud	P.O.A.

OPTIONAL ACCESSORIES

	Item #	Material #	Model	Description	Price
	Façades				
	640284	H8739	FAC-SF-BK-NV35	Façade, Santa Fe, Black	P.O.A.
	640285	H8740	FAC-BAL-BK-NV35	Façade, Balustrade, Black	P.O.A.
	640288	H8741	FAC-DECO-BK-NV35	Façade, Deco, Black	P.O.A.
	Common Accessories				
	617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
	C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
	C639700	H8759	GCK-NVC35NP	Gas Conversion Kit, NG to LP (NVCD)	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

ENVY CD 40

Model	Weight	Cu. Ft.	BTU/HR
ENVYCD40TEN	238#	25.8	21,000-40,000

**LUXURY
SERIES**

ENVY CD 40

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. OMNI (050-S-12b-5)116-F-22-5)

40" DIRECT VENT GAS FIREPLACE, FRONT VIEW, RADIANT


The Envy CD Series direct vent fireplaces include a multi-stage ceramic burner with FullFlame™ Technology, glass media (sold separately), Proflame II control system with full function remote and a switchable IPI feature. These elegant fireplaces also come standard with ceramic glass, a clean face trim kit and integrated barrier for added safety. The porcelain liner must be ordered separately.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
C639700	F1457	EnvyCD40TEN	40" Contemporary, Electronic, Natural	P.O.A.

REQUIRED ACCESSORIES (Order Separately)



				Porcelain Liner (Order One)	
616628	H8710	LKP-BK-NVCD40		Porcelain Liner, Black	P.O.A.

Glass Media

616609	H9021	GB-SKY		Glass Media, 5LB Bag, Disk, Sky	P.O.A.
616610	H9022	GB-MIDNIGHT		Glass Media, 5LB Bag, Disk, Midnight	P.O.A.
616611	H9023	GB-RAIN		Glass Media, 5LB Bag, Disk, Rain	P.O.A.
616612	H9024	GB-SUNSET		Glass Media, 5LB Bag, Disk, Sunset	P.O.A.
616613	H9025	GB-CLOUD		Glass Media, 5LB Bag, Disk, Cloud	P.O.A.



OPTIONAL ACCESSORIES



				Façades	
640270	H8715	FAC-SF-BK-NV40		Façade, Santa Fe, Black	P.O.A.
640271	H8716	FAC-BAL-BK-NV40		Façade, Balustrade, Black	P.O.A.
640272	H8717	FAC-DECO-BK-NV40		Façade, Deco, Black	P.O.A.



Common Accessories

617578	80L42	FDVS		Decorative Volcanic Stone	P.O.A.
C639700	F1882	SCTPSAB		Touch-Up Spray Can, Black	P.O.A.
C639700	H8760	GCK-NVC40NP		Gas Conversion Kit, NG to LP (NVCD)	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

ENVY CD 45

Model	Weight	Cu. Ft.	BTU/HR
ENVYCD45TEN	178#	22.9	24,000 - 47,000

**LUXURY
SERIES**


ENVY CD 45

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. OMNI (050-S-12b-5)116-F-22-5)


45" DIRECT VENT GAS FIREPLACE, FRONT VIEW, RADIANT

The Envy CD Series direct vent fireplaces include a multi-stage burner with FullFlame™ Technology, glass media (sold separately), Proflame II control system with full function remote and a switchable IPI feature. These elegant fireplaces also come standard with ceramic glass, a clean face trim kit and integrated barrier for added safety. The porcelain liner must be ordered separately.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

	Item #	Material #	Model	Description	Price
	C639700	F1456	EnvyCD45TEN	45" Contemporary, Electronic, Natural	P.O.A.

REQUIRED ACCESSORIES (Order Separately)



Porcelain Liner (Order One)

616639	H8957	LKP-BK-NV45	Porcelain Liner, Black	P.O.A.
--------	-------	-------------	------------------------	--------

Glass Media



616609	H9021	GB-SKY	Glass Media, 5LB Bag, Disk, Sky	P.O.A.
616610	H9022	GB-MIDNIGHT	Glass Media, 5LB Bag, Disk, Midnight	P.O.A.
616611	H9023	GB-RAIN	Glass Media, 5LB Bag, Disk, Rain	P.O.A.
616612	H9024	GB-SUNSET	Glass Media, 5LB Bag, Disk, Sunset	P.O.A.
616613	H9025	GB-CLOUD	Glass Media, 5LB Bag, Disk, Cloud	P.O.A.

OPTIONAL ACCESSORIES



Façades

640221	H8719	FAC-SF-BK-NV45	Façade, Santa Fe, Black	P.O.A.
C639700	H8720	FAC-BAL-BK-NV45	Façade, Balustrade, Black	P.O.A.
640273	H8721	FAC-DECO-BK-NV45	Façade, Deco, Black	P.O.A.

Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
C639700	H8761	GCK-NVC45NP	Gas Conversion Kit, NG to LP (NVCD)	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

RHAPSODY 42

Model	Weight	Cu. Ft.	BTU/HR
Rhapsody 42	239#	34.4	27,000


RHAPSODY 42

Agency Listing: Built to ANSI Z 21.88 and CSA 2.33 Standards – PFS (F14-108)

42" RHAPSODY LINEAR DIRECT VENT GAS FIREPLACE, TOP VENT, LOUVERLESS

Linear in design and stunningly multifaceted in effect, the Rhapsody 42 offers a sophisticated, energy-efficient and easy-to-install heater rated option for any installation that wants a modern feel. Its expansive viewing area showcases dramatic, wavering flames that is enhanced by a porcelain interior liner kit (3 pcs) and reflective glass media. Customize your unit with optional crushed glass media in several attractive colors. These models include the SIT Pro Flame II control system with seamless battery back-up and full function remote. Power vent model requires use of the power vent kit (purchased separately). Factory installed blower. All units are equipped with a standard barrier that meets 2015 requirements and are configured for a clean face application.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639715	F2239	Rhapsody42TEN	42" DV, Linear, Electronic, Natural	P.O.A.

REQUIRED ACCESSORIES (Order Separately)

Firebox Floor				
	617101	H8838	RFK-BLP-RAP42	Reflection Floor, Black Porcelain P.O.A.
	617100	H8837	DFK-BLS-RAP42	Designer Floor, Black Satin P.O.A.
	617099	H8836	DFK-BLP-RAP42	Designer Floor, Black Porcelain P.O.A.
Designer Floors require purchase of 1 glass media kit				
	617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black P.O.A.
	617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue P.O.A.
	617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum P.O.A.
	617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger P.O.A.
	617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper P.O.A.
Panel Kits – Include back and side panels				
	617098	H8835	NPK-BLS-RAP42	Nake Panel Kit, Black Satin Paint P.O.A.
	617097	H8834	NPK-BLP-RAP42	Nake Panel Kit, Black Porcelain P.O.A.
	617095	H8832	IPK-CBLKP-RAP42	Illusion Panel Cityscape Black Porcelain P.O.A.
	617096	H8833	IPK-MBLKP-RAP42	Illusion Panel Metroscape Black Porcelain P.O.A.
Illusion Panels require purchase of backlight kit below				
	617086	H8866	IPBLK-RAP42	Illusion Panel Backlight Kit P.O.A.

OPTIONAL ACCESSORIES

Surround & Bezels				
	640380	F2259	CSB-BLS-RAP42	Surround , Black Satin P.O.A.
Bezel purchase required to complete the surround installation				
	640381	F2269	BZLB-BLS RAP42	Bezel, Black Satin P.O.A.
	C639700	F2267	BZLB-BLNI RAP42	Bezel, Black Nickel P.O.A.
	C639700	F2268	BZLB-BRNI RAP42	Bezel, Brushed Nickel P.O.A.
Power Vent (Requires one of each)				
	617020	H7387	LPVK-110	Power Vent Kit P.O.A.
	617042	H8574	PVK-RHAP	Power Vent Adapter Kit 54-42 P.O.A.
Common Accessory				
	617314	H8540	GCK-RAP42NP	NG to LP Conversion Kit (Incl. orifice and regulator) P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

RHAPSODY 54

Model Rhapsody 54	Weight 311#	Cu. Ft. 48.4	BTU/HR 37,000
----------------------	----------------	-----------------	------------------

RHAPSODY 54

Agency Listing: Built to ANSI Z 21.88 and CSA 2.33 Standards – PFS (F14-108)

54" RHAPSODY LINEAR DIRECT VENT GAS FIREPLACE, TOP VENT, LOUVERLESS

Linear in design and stunningly multifaceted in effect, the Rhapsody 54 offers a sophisticated, energy-efficient and easy-to-install heater rated option for any installation that wants a modern feel. Its expansive viewing area showcases dramatic, wavering flames that is enhanced by a porcelain interior liner kit (3 pcs) and reflective glass media. Customize your unit with optional crushed glass media in several attractive colors. These models include the SIT Pro Flame II control system with seamless battery back-up and full function remote. Power vent model requires use of the power vent kit (purchased separately). Factory installed blower. All units are equipped with a standard barrier that meets 2015 requirements and are configured for a clean face application.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price
 C639700	F2237	Rhapsody54TEN	54" DV, Linear, Electronic, Natural	P.O.A.

REQUIRED ACCESSORIES (Order Separately)

Firebox Floor				
 617036	H8425	RFK-BLP-RAP54	Reflection Floor, Black Porcelain	P.O.A.
617037	H8426	DFK-BLS-RAP54	Designer Floor, Black Satin	P.O.A.
617038	H8427	DFK-BLP-RAP54	Designer Floor, Black Porcelain	P.O.A.
Designer Floors require purchase of 1 glass media kit				
617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black	P.O.A.
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.
Panel Kits – Include back and side panels				
 617034	H8423	NPK-BLS-RAP54	Nake Panel Kit, Black Satin Paint	P.O.A.
617033	H8422	NPK-BLP-RAP54	Nake Panel Kit, Black Porcelain	P.O.A.
617031	H8420	IPK-CBLKP-RAP54	Illusion Panel Cityscape Black Porcelain	P.O.A.
617032	H8421	IPK-MBLKP-RAP54	Illusion Panel Metroscapes Black Porcelain	P.O.A.
Illusion Panels require purchase of backlight kit below				
 617039	H8429	IPBLK-RAP54	Illusion Panel Backlight Kit	P.O.A.

OPTIONAL ACCESSORIES

Surround & Bezels				
 640382	F2256	CSB-BLS-RAP54	Surround, Black Satin	P.O.A.
Bezel purchase required to complete the surround installation				
640383	F2266	BZLB-BLS RAP54	Bezel, Black Satin	P.O.A.
C639700	F2264	BZLB-BLNI RAP54	Bezel, Black Nickel	P.O.A.
C639700	F2265	BZLB-BRNI RAP54	Bezel, Brushed Nickel	P.O.A.
Power Vent (Requires one of each)				
617020	H7387	LPVK-110	Power Vent Kit	P.O.A.
617042	H8574	PVK-RHAP	Power Vent Adapter Kit 54-42	P.O.A.
Common Accessory				
617314	H8540	GCK-RHAP-NP	NG to LP Conversion Kit (Incl. orifice and regulator)	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

MONTEBELLO DLXCD40

Model	Weight	Cu. Ft.	BTU/HR
MDLX40N	235#	45.1	50,000
MDLX40P	234#	45.1	50,000

MONTEBELLO DLXCD40

Agency Listing: Built to ANSI Z21.50b-2005 and CSA 2.22b-2005 & CAN/CGA 2.17-M91 standards. PFS (F14-106)

40" MONTEBELLO® DLX DIRECT VENT GAS FIREPLACES, TOP VENT, FRONT VIEW, LOUVERLESS

The Montebello DLXCD40 offers a sophisticated, energy-efficient and easy-to-install heater rated option for any installation that wants a modern feel. Its expansive viewing area showcases dramatic, wavering flames that are enhanced by a porcelain interior liner kit (3 pcs) and reflective glass media. Customize your unit with optional crushed glass media in several attractive colors. These models include the SIT Pro Flame II control system with seamless battery back-up and full function remote. Power vent model requires use of the power vent kit (purchased separately). All units are equipped with a standard barrier that meets 2015 requirements.

Uses 8" / 11" Secure Vent™ Rigid Direct Vent Components

Power Vent Unit Uses 4.5" / 7.5" Secure Vent™ Rigid Direct Vent Components



Item #	Material #	Model	Description	Price
C639700	F2202	Montebello DLXCD40TEN	40" DV, Electronic, Natural, Contemporary Burner	P.O.A.
C639700	F2206	Montebello DLXCD40TEP	40" DV, Electronic, Propane, Contemporary Burner	P.O.A.
C639700	F2218	Montebello DLXCD40TYE	40" DV, Electronic, Natural, Contemporary Burner, Power Vent	P.O.A.

OPTIONAL ACCESSORIES

Glass Media

Contemporary burner kits require purchase of 1 glass media kit

617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black	P.O.A.
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.

Power Vent Kit (For use on F2218 only)

617064	H7920	LSMPVK	Power Vent Kit	P.O.A.
--------	-------	--------	----------------	--------

Freestanding Screen Kits

617067	H5051	DASK-LSM40-2	Dual Arch Screen Kit	P.O.A.
616874	H5052	SK-LSM40-2	Classic Screen Kit	P.O.A.

Andiron Kits

617009	H2227	AKM-LSM	Andiron Kit, Mission	P.O.A.
617010	H2228	AKC-LSM	Andiron Kit, Classic	P.O.A.

Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
617280	H8668	GCK-MDLX40NP	NG to LP Gas Conversion Kit	P.O.A.
C639700	H8670	GCK-MDLX40PN	LP to NG Gas Conversion Kit	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

MONTEBELLO DLXCD45

Model	Weight	Cubic Ft.	BTU/Hr
MDLX45N	300#	58	57,000
MDLX45P	300#	58	56,000

MONTEBELLO DLXCD45

Agency Listing: Built to ANSI Z21.50b-2005 and CSA 2.22b-2005 & CAN/CGA 2.17-M91 standards. PFS (F14-106)

45" MONTEBELLO® DLX DIRECT VENT GAS FIREPLACES, TOP VENT, FRONT VIEW, LOUVERLESS

The Montebello DLXCD45 offers a sophisticated, energy-efficient and easy-to-install heater rated option for any installation that wants a modern feel. Its expansive viewing area showcases dramatic, wavering flames that is enhanced by a porcelain interior liner kit (3 pcs) and reflective glass media. Customize your unit with optional crushed glass media in several attractive colors. These models include the SIT Pro Flame II control system with seamless battery back-up and full function remote. Power vent model requires use of the power vent kit (purchased separately). All units are equipped with a standard barrier that meets 2015 requirements.

Uses 8" / 11" Secure Vent™ Rigid Direct Vent Components

Power Vent Unit Uses 4.5" / 7.5" Secure Vent™ Rigid Direct Vent Components



Item #	Material #	Model	Description	Price
C639700	F2205	Montebello DLXCD45TEN	45" DV, Natural, Contemporary Burner	P.O.A.
C639700	F2207	Montebello DLXCD45TEP	45" DV, Propane, Contemporary Burner	P.O.A.
C639700	F2219	Montebello DLXCD45TYE	45" DV, Natural, Contemporary Burner, Power Vent	P.O.A.

OPTIONAL ACCESSORIES

Glass Media

Contemporary burner kits require purchase of 1 glass media kit

617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black	P.O.A.
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.

Power Vent Kit (For use on F2219 only)

617064	H7920	LSMPVK	Power Vent Kit	P.O.A.
--------	-------	--------	----------------	--------

Freestanding Screen Kits

616878	H5054	DASK-LSM45-2	Dual Arch Screen Kit	P.O.A.
616880	H5055	SK-LSM45-2	Classic Screen Kit	P.O.A.



Dual Arch

Classic



AKM



AKC

Andrion Kits

617009	H2227	AKM-LSM	Andrion Kit, Mission	P.O.A.
617010	H2228	AKC-LSM	Andrion Kit, Classic	P.O.A.

Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
617620	88L53	FGE	Glowing Embers	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
C639700	H8671	GCK-MDLX45PN	LP to NG Gas Conversion Kit	P.O.A.
617300	H8669	GCK-MDLX45NP	NG to LP Gas Conversion Kit	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

VENICE LIGHTS

Model	Weight	Cu. Ft.	BTU/HR
Venice LightsN	296#	24.5	22,000 - 35,000
Venice LightsP	293#	24.5	24,000 - 33,000

VENICE LIGHTS

Agency Approvals – ANSI Z21.50 – CSA 2.22

43" LINEAR DIRECT VENT GAS FIREPLACES

The Venice Lights has a 43" opening and comes with clear smooth glass pebbles. Dancing yellow flames are amplified against the glossy black porcelain coated interior walls. Illuminate without the flame using bottom accent lighting. Operate the electronic ignition system with the included deluxe remote control. Customize your unit with glass pebbles in several attractive colors. All units are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5"/ 7.5" Secure Vent™ Rigid Direct Vent Components



Item #	Material #	Model	Description	Price
639716	F1497	VeniceLightsNE	43" DV, Natural, Electronic Ignition	P.O.A.
C639700	F1498	VeniceLightsPE	43" DV, Propane, Electronic Ignition	P.O.A.

OPTIONAL ACCESSORIES

See-Through Door Conversion

640384	F2312	LDSTIB	Linear Direct Vent See-Thru Conversion Kit	P.O.A.
640385	F2313	LSDSTOB	Linear Direct Vent Indoor/Outdoor See-Thru Upgrade	P.O.A.

Glass Media



C639700	F1097	GP43A	6.0 lb. Bag Smooth Glass Pebbles, Amber	P.O.A.
C639700	F1098	GP43B	6.0 lb. Bag Smooth Glass Pebbles, Blue	P.O.A.
640120	F1099	GP43G	6.0 lb. Bag Smooth Glass Pebbles, Green	P.O.A.
640121	F1100	GP43SO	6.0 lb. Bag Smooth Glass Pebbles, Speckled Orange	P.O.A.
640122	F1101	GP43C	6.0 lb. Bag Smooth Glass Pebbles, Clear	P.O.A.

Façades



640294	F1036	DFT43B	Decorative Face Trim, Black	P.O.A.
C639700	F1037	DFT43AS	Decorative Face Trim, Aged Silver	P.O.A.
C639700	F1038	DFT43AC	Decorative Face Trim, Aged Copper	P.O.A.

Common Accessories

C639700	F1980	PCDQ-43LDV	NG to LP Gas Conversion Kit	P.O.A.
C639700	F1981	PCDE-43LDV	LP to NG Gas Conversion Kit	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

SIRIUS 42

Model	Weight	Cu. Ft.	BTU/HR
SIRIUS42N	226#	38.9	22,000
SIRIUS42P	226#	38.9	20,000


SIRIUS 42

Agency Listing: ANSI Z21.88, CSA 233 – PFS (F14-108)

42" LINEAR DIRECT VENT GAS FIREPLACES

The Sirius 42 fireplace brings together the latest in technology and design to provide the ultimate in versatility. Its glossy, smooth porcelain interior showcases a mesmerizing band of flames, produced with advanced Infini-Flame™ technology for energy-efficient warmth. An array of contemporary media and surround options provides a sleek and stylish appearance that can be customized. All units are equipped with a standard barrier that meets 2015 requirements, and are configured for a clean face applications.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price	
	C639700	F2241	Sirius42TEN	42" Linear, Natural	P.O.A.
	C639700	F2243	Sirius42TEP	42" Linear, Propane	P.O.A.

OPTIONAL ACCESSORIES

Item #	Material #	Model	Description	Price
	Surrounds			
640374	F2261	SURRL42B	42" Surround, black	P.O.A.
640375	F2263	SURRL42BS	42" Surround, stainless matte	P.O.A.
	Glass Media			
617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black	P.O.A.
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.
	Remote Control Kits			
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
Common Accessories				
C639700	85L87	FWSK	Wall Switch Kit, White	P.O.A.
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer	P.O.A.
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
617548	80L84	FBK-100	Blower Kit Standard single speed	P.O.A.
617550	80L85	FBK-200	Blower Kit Variable Speed with Wall Switch	P.O.A.
C639700	H8705	GCK-LDV42PN	LP to NG Conversion Kit	P.O.A.
C639700	H8706	GCK-LDV42NP	NG to LP Conversion Kit	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

SIRIUS 54

Model	Weight	Cu. Ft.	BTU/HR
SIRIUS54N	311#	48.1	30,000
SIRIUS54P	311#	48.1	30,000

SIRIUS 54

Agency Listing: ANSI Z21.88, CSA 233 – PFS (F14-108)

54" LINEAR DIRECT VENT GAS FIREPLACES

The Sirius 54 fireplace brings together the latest in technology and design to provide the ultimate in versatility. Its glossy, smooth porcelain interior showcases a mesmerizing band of flames, produced with advanced Infini-Flame™ technology for energy-efficient warmth. An array of contemporary media and surround options provides a sleek and stylish appearance that can be customized. All units are equipped with a standard barrier that meets 2015 requirements, and are configured for a clean face applications.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price	
	C639700	F2245	Sirius54TEN	54" Linear, Natural	P.O.A.
	C639700	F2247	Sirius54TEP	54" Linear, Propane	P.O.A.

OPTIONAL ACCESSORIES



Surrounds				
640378	F2260	SURRL54B	54" Surround, black	P.O.A.
640379	F2262	SURRL54BS	54" Surround, stainless matte	P.O.A.



Glass Media				
617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black	P.O.A.
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.



Remote Control Kits				
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.

Common Accessories				
C639700	85L87	FWSK	Wall Switch Kit, White	P.O.A.
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer	P.O.A.
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat	P.O.A.
C639700	F1882	SCTPSAB	Touch-Up Spray Can, Black	P.O.A.
617548	80L84	FBK-100	Blower Kit Standard single speed	P.O.A.
617550	80L85	FBK-200	Blower Kit Variable Speed with Wall Switch	P.O.A.
C639700	H8701	GCK-LDV54PN	LP to NG Conversion Kit	P.O.A.
640462	H8702	GCK-LDV54NP	NG to LP Conversion Kit	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

SCORPIO CD35

Model	Weight	Cu. Ft.	BTU/HR
ScorpioCD35 N	102lbs	11.8	20,000
ScorpioCD35 P	102lbs	11.8	19,000

SCORPIO CD35

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

35" SCORPIO CD DIRECT VENT FIREPLACES – COMBO TOP/REAR VENT

The Scorpio contemporary direct vent combines elegance, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, reflective clear glass media, black reflective porcelain liner kit, multi-level interior lighting, ceramic glass, and variable speed blower. These models include the SIT Proflame II Control System with seamless battery backup, full function remote, and switchable IPI/CPI feature. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639719	F1603	ScorpioCD35DEN	35" DV Contemporary NG, Elec, Top/Rear	P.O.A.
C639700	F1604	ScorpioCD35DEP	35" DV Contemporary LP, Elec, Top/Rear	P.O.A.

OPTIONAL ACCESSORIES



Glass Media				
C639700	F1097	GP43A	6.0 lb. Bag Smooth Glass Pebbles, Amber	P.O.A.
C639700	F1098	GP43B	6.0 lb. Bag Smooth Glass Pebbles, Blue	P.O.A.
640120	F1099	GP43G	6.0 lb. Bag Smooth Glass Pebbles, Green	P.O.A.
640121	F1100	GP43SO	6.0 lb. Bag Smooth Glass Pebbles, Speckled Orange	P.O.A.

Common Accessories				
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
C639700	H8931	PF2-EXTWH	25' Long Wire Harness PF2	P.O.A.
C639700	F2183	GCKSEV052P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F2181	GCKSEV086N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

SCORPIO CD40

Model	Weight	Cu. Ft.	BTU/HR
ScorpioCD 40 N	128#	15.5	24,000
ScorpioCD 40 P	128#	15.5	22,000

SCORPIO CD40

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

40" SCORPIO CD DIRECT VENT FIREPLACES – COMBO TOP/REAR VENT

The Scorpio contemporary direct vent combines elegance, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, reflective clear glass media, black reflective porcelain liner kit, multi-level interior lighting, ceramic glass, and variable speed blower. These models include the SIT Proflame II Control System with seamless battery backup, full function remote, and switchable IPI/CPI feature. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639721	F1607	ScorpioCD40DEN	40" DV Contemporary NG, Elec, Top/Rear	P.O.A.
C639700	F1608	ScorpioCD40DEP	40" DV Contemporary LP, Elec, Top/Rear	P.O.A.

OPTIONAL ACCESSORIES



Glass Media				
C639700	F1097	GP43A	6.0 lb. Bag Smooth Glass Pebbles, Amber	P.O.A.
C639700	F1098	GP43B	6.0 lb. Bag Smooth Glass Pebbles, Blue	P.O.A.
640120	F1099	GP43G	6.0 lb. Bag Smooth Glass Pebbles, Green	P.O.A.
640121	F1100	GP43SO	6.0 lb. Bag Smooth Glass Pebbles, Speckled Orange	P.O.A.

Common Accessories				
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
C639700	H8931	PF2-EXTWH	25' Long Wire Harness PF2	P.O.A.
C639700	F2182	GCKSEV093N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.
C639700	F2184	GCKSEV055P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

SCORPIO CD45

Model	Weight	Cu. Ft.	BTU/HR
ScorpioCD 45 N	128#	15.5	28,000
ScorpioCD 45 P	128#	15.5	26,000

SCORPIO CD45

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

45" SCORPIO CD DIRECT VENT FIREPLACES – COMBO TOP/REAR VENT

The Scorpio contemporary direct vent combines elegance, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, reflective clear glass media, black reflective porcelain liner kit, multi-level interior lighting, ceramic glass, and variable speed blower. These models include the SIT Proflame II Control System with seamless battery backup, full function remote, and switchable IPI/CPI feature. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
C639700	F1611	ScorpioCD45DEN	45" DV Contemporary NG, Elec, Top/Rear	P.O.A.
C639700	F1612	ScorpioCD45DEP	45" DV Contemporary LP, Elec, Top/Rear	P.O.A.

OPTIONAL ACCESSORIES



Glass Media				
C639700	F1097	GP43A	6.0 lb. Bag Smooth Glass Pebbles, Amber	P.O.A.
C639700	F1098	GP43B	6.0 lb. Bag Smooth Glass Pebbles, Blue	P.O.A.
640120	F1099	GP43G	6.0 lb. Bag Smooth Glass Pebbles, Green	P.O.A.
640121	F1100	GP43SO	6.0 lb. Bag Smooth Glass Pebbles, Speckled Orange	P.O.A.

Common Accessories				
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
C639700	H8931	PF2-EXTWH	25' Long Wire Harness PF2	P.O.A.
640352	F2186	GCKSEV059P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F2185	GCKSEV042N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

GEMINI CD35

Model	Weight	Cu. Ft.	BTU/HR
Gemini CD35	102#	11.8	16,000

GEMINI CD35

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

35" GEMINI DIRECT VENT FIREPLACES – COMBO TOP/REAR VENT

The Gemini contemporary direct-vent combines elegance with performance. A modern design that features a two-piece façade, platinum glass media and black reflective porcelain liners that enhance the glowing flame. The heat-circulating design features a modulating valve with mounted switch controls for on/off and high/low flame operation. All models are equipped with combination top/rear flue, electronic controls and a standard barrier that meets 2015 requirements

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price
639722	F2457	GeminiCD35DEN	35" DV, Contemporary NG, Elec, Top/Rear Vent	P.O.A.

REQUIRED ACCESSORIES



Façades (Order 1 Base + 1 Panel)

640213	F2460	FBK35CD	35" Façade Base – Black	P.O.A.
640214	F2461	FBSS35CD	35" Façade Base – Stainless	P.O.A.
640215	F2464	FPBK35CD	35" Façade Panel – Black	P.O.A.
640216	F2465	FPSS35CD	35" Façade Panel – Stainless	P.O.A.

OPTIONAL ACCESSORIES



Glass Media

617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black	P.O.A.
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.

Contemporary Accessories

640295	F2487	DRFTWD-GS	Driftwood Log Set – Gulf Shores	P.O.A.
618564	H7536	MTRS	Tumbled River Stone	P.O.A.

Blower Kits

617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.

Remote Control Kit

618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
--------	-------	---------------	-----------------------	--------

Common Accessories

C639700	F2492	GCKSKT5655NP	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F2494	GCKSKT4847PN	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

GEMINI CD40

Model	Weight	Cu. Ft.	BTU/HR
Gemini CD40	128#	15.5	20,000

GEMINI CD40

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

40" GEMINI DIRECT VENT FIREPLACES – COMBO TOPIREAR VENT

The Gemini contemporary direct-vent combines elegance with performance. A modern design that features a two-piece façade, platinum glass media and black reflective porcelain liners that enhance the glowing flame. The heat-circulating design features a modulating valve with mounted switch controls for on/off and high/low flame operation. All models are equipped with combination top/rear flue, electronic controls and a standard barrier that meets 2015 requirements

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price
639723	F2459	GeminiCD40DEN	40" DV, Contemporary NG, Elec, Top/Rear Vent	P.O.A.

REQUIRED ACCESSORIES



Façades (Order 1 Base + 1 Panel)

640217	F2462	FBK40CD	40" Façade Base – Black	P.O.A.
640218	F2463	FBSS40CD	40" Façade Base – Stainless	P.O.A.
640219	F2466	FPBK40CD	40" Façade Panel – Black	P.O.A.
640220	F2467	FPSS40CD	40" Façade Panel – Stainless	P.O.A.

OPTIONAL ACCESSORIES



Glass Media

617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black	P.O.A.
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.



Contemporary Accessories

640295	F2487	DRFTWD-GS	Driftwood Log Set – Gulf Shores	P.O.A.
618564	H7536	MTRS	Tumbled River Stone	P.O.A.



Blower Kits

617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.

Remote Control Kit

618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
--------	-------	---------------	-----------------------	--------

Common Accessories

C639700	F2491	GCKSKT5455NP	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F2493	GCKSKT4447PN	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

ARIES CD33

Model	Weight	Cu. Ft.	BTU/HR
Aries 33 N	102#	11.8	12,000
Aries 33 P	102#	11.8	10,000

ARIES CD33

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

33" ARIES DIRECT VENT FIREPLACES, CONTEMPORARY

The Aries Contemporary direct vent combines beauty, efficiency and value. A clean faced heat-circulating design with a beautiful flame that rises through black crushed glass media. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components




Item #	Material #	Model	Description	Price
C639700	F1672	AriesCD33TMN	33" DV, Contemporary NG, Millivolt, Top Vent	P.O.A.
C639700	F1673	AriesCD33TMP	33" DV, Contemporary LP, Millivolt, Top Vent	P.O.A.
C639700	F1674	AriesCD33TEN	33" DV, Contemporary NG, Elec, Top Vent	P.O.A.
C639700	F1734	AriesCD33TEP	33" DV, Contemporary LP, Elec, Top Vent	P.O.A.
C639700	F1678	AriesCD33RMN	33" DV, Contemporary NG, Millivolt, Rear Vent	P.O.A.
C639700	F1679	AriesCD33RMP	33" DV, Contemporary LP, Millivolt, Rear Vent	P.O.A.
C639700	F1680	AriesCD33REN	33" DV, Contemporary NG, Elec, Rear Vent	P.O.A.
C639700	F1736	AriesCD33REP	33" DV, Contemporary LP, Elec, Rear Vent	P.O.A.

OPTIONAL ACCESSORIES



Glass Media (optional colors)				
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.



Blower Kits				
617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.



Wall and Remote Control Kits				
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.

Common Accessories				
617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
640370	F1771	GCKSMF042P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
C639700	F1769	GCKSMF076N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
640371	F1773	GCKSEF042P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F1767	GCKSEF076N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

Termination Kits				
640151	F1797	SV45HTKCT	Compact Termination SV4.5	P.O.A.
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w/shield	P.O.A.
640153	F1799	SFKIT18CT	Flex Compact Term w/18" compressed vent	P.O.A.
640367	F1800	SFKIT24CT	Flex Compact Term w/24" compressed vent	P.O.A.
640368	F1801	SFKIT36CT	Flex Compact Term w/36" compressed vent	P.O.A.
640369	F1802	SFKIT48CT	Flex Compact Term w/48" compressed vent	P.O.A.
640155	F1803	SF45HTKCT	Compact Termination Secure Flex	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

ARIES CD35

Model	Weight	Cu. Ft.	BTU/HR
Aries 35 N	102lbs	11.8	14,000
Aries 35 P	102lbs	11.8	12,000

ARIES CD35

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

35" ARIES DIRECT VENT FIREPLACES, CONTEMPORARY

The Aries Contemporary direct vent combines beauty, efficiency and value. A clean faced heat-circulating design with a beautiful flame that rises through black crushed glass media. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639724	F1684	AriesCD35TMN	35" DV Contemporary NG, Millivolt, Top Vent	P.O.A.
C639700	F1685	AriesCD35TMP	35" DV Contemporary LP, Millivolt, Top Vent	P.O.A.
639726	F1686	AriesCD35TEN	35" DV Contemporary NG, Elec, Top Vent	P.O.A.
C639700	F1738	AriesCD35TEP	35" DV Contemporary, LP, Elec, Top Vent	P.O.A.
639730	F1690	AriesCD35RMN	35" DV Contemporary NG, Millivolt, Rear Vent	P.O.A.
C639700	F1691	AriesCD35RMP	35" DV Contemporary LP, Millivolt, Rear Vent	P.O.A.
639732	F1692	AriesCD35REN	35" DV Contemporary NG, Elec Rear Vent	P.O.A.
C639700	F1740	AriesCD35REP	35" DV Contemporary, LP, Elec, Rear Vent	P.O.A.

OPTIONAL ACCESSORIES



Glass Media (optional colors)

617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.



Blower Kits

617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.



Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.

Common Accessories

617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
640370	F1771	GCKSMF042P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
C639700	F1769	GCKSMF076N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
640371	F1773	GCKSEF042P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F1767	GCKSEF076N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5	P.O.A.
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w/shield	P.O.A.
640153	F1799	SFKIT18CT	Flex Compact Term w/18" compressed vent	P.O.A.
640367	F1800	SFKIT24CT	Flex Compact Term w/24" compressed vent	P.O.A.
640368	F1801	SFKIT36CT	Flex Compact Term w/36" compressed vent	P.O.A.
640369	F1802	SFKIT48CT	Flex Compact Term w/48" compressed vent	P.O.A.
640155	F1803	SF45HTKCT	Compact Termination Secure Flex	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

www.ihp.us.com

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

ARIES CD40

Model	Weight	Cu. Ft.	BTU/HR
Aries 40 N	128#	15.5	16,000
Aries 40 P	128#	15.5	15,000


ARIES CD40

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

40" ARIES DIRECT VENT FIREPLACES, CONTEMPORARY

The Aries Contemporary direct vent combines beauty, efficiency and value. A clean faced heat-circulating design with a beautiful flame that rises through black crushed glass media. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components



Item #	Material #	Model	Description	Price
639736	F1696	AriesCD40TMN	40" DV Contemporary, NG, Millivolt, Top Vent	P.O.A.
C639700	F1697	AriesCD40TMP	40" DV Contemporary, LP, Millivolt, Top Vent	P.O.A.
639738	F1698	AriesCD40TEN	40" DV Contemporary, NG, Elec, Top Vent	P.O.A.
C639700	F1742	AriesCD40TEP	40" DV Contemporary, LP, Elec, Top Vent	P.O.A.
639742	F1702	AriesCD40RMN	40" DV Contemporary NG, Millivolt, Rear Vent	P.O.A.
C639700	F1703	AriesCD40RMP	40" DV Contemporary LP, Millivolt, Rear Vent	P.O.A.
639744	F1704	AriesCD40REN	40" DV Contemporary NG, Elec, Rear Vent	P.O.A.
C639700	F1744	AriesCD40REP	40" DV Contemporary LP, Elec, Rear Vent	P.O.A.

OPTIONAL ACCESSORIES



Glass Media (optional colors)

617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.



Blower Kits

617548	80L84	FBK-100	Standard Single Speed	P.O.A.
617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.

Wall and Remote Control Kits



618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.

Common Accessories

617620	88L53	FGE	Glowing Embers	P.O.A.
617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
640372	F1772	GCKSMF046P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
C639700	F1770	GCKSMF078N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
640373	F1774	GCKSEF078N	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
C639700	F1768	GCKSEF046P	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5	P.O.A.
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w/shield	P.O.A.
640153	F1799	SFKIT18CT	Flex Compact Term w/18" compressed vent	P.O.A.
640367	F1800	SFKIT24CT	Flex Compact Term w/24" compressed vent	P.O.A.
640368	F1801	SFKIT36CT	Flex Compact Term w/36" compressed vent	P.O.A.
640369	F1802	SFKIT48CT	Flex Compact Term w/48" compressed vent	P.O.A.
640155	F1803	SF45HTKCT	Compact Termination Secure Flex	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

DIRECT VENT GAS FIREPLACES — CONTEMPORARY DESIGN (cont'd)

ARIES CD45

Model	Weight	Cu. Ft.	BTU/HR
Aries 45 N	128#	15.5	20,000
Aries 45 P	128#	15.5	19,000

ARIES CD45

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

45" ARIES DIRECT VENT FIREPLACES, CONTEMPORARY

The Aries Contemporary direct vent combines beauty, efficiency and value. A clean faced heat-circulating design with a beautiful flame that rises through black crushed glass media. Top and rear combo flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct Vent Components

Item #	Material #	Model	Description	Price	
	C639700	F1708	AriesCD45DMN	45" DV Contemporary NG, Millivolt, Top/rear Vent	P.O.A.
	C639700	F1709	AriesCD45DMP	45" DV Contemporary LP, Millivolt, Top/Rear Vent	P.O.A.
	C639700	F1710	AriesCD45DEN	45" DV Contemporary, NG, Elec, Top/Rear Vent	P.O.A.
	C639700	F1746	AriesCD45DEP	45" DV Contemporary, LP, Elec, Top/Rear Vent	P.O.A.

OPTIONAL ACCESSORIES

Glass Media (optional colors)

	617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue	P.O.A.
	617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum	P.O.A.
	617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger	P.O.A.
	617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper	P.O.A.

Blower Kits

	617548	80L84	FBK-100	Standard Single Speed	P.O.A.
	617550	80L85	FBK-200	Variable Speed with Wall Switch	P.O.A.
	617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch	P.O.A.

Wall and Remote Control Kits

	618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off	P.O.A.
	617124	H8861	RC-S-STAT	LCD Display Manual, Thermostat, and Time modes	P.O.A.
	618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode	P.O.A.
	618525	H8840	KIT-RC-G-FIRE	Remote, Simple On/Off	P.O.A.
	640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute	P.O.A.
	640335	H8864	WS-S-STAT	Wall mounted LCD manual and Thermostat Modes	P.O.A.
	640003	80L41	FRS	Unit – mountable Rocker Switch	P.O.A.
	C639700	85L87	FWSK	On/Off Wall switch Kit	P.O.A.

Common Accessories

	617620	88L53	FGE	Glowing Embers	P.O.A.
	617578	80L42	FDVS	Decorative Volcanic Stone	P.O.A.
	C639700	F1881	SCITPSAB	Touch up paint firebox interior	P.O.A.
	C639700	F1882	SCTPSAB	Touch up paint powder coat exterior	P.O.A.
	C639700	F1897	GCKSMF052P	Conversion Kit, Millivolt, Natural to Propane	P.O.A.
	C639700	F1895	GCKSMF086N	Conversion Kit, Millivolt, Propane to Natural	P.O.A.
	C639700	F1896	GCKSEF052P	Conversion Kit, Electronic Ignition, Natural to Propane	P.O.A.
	C639700	F1894	GCKSEF086N	Conversion Kit, Electronic Ignition, Propane to Natural	P.O.A.

Termination Kits

	640151	F1797	SV45HTKCT	Compact Termination SV4.5	P.O.A.
	640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w/shield	P.O.A.
	640153	F1799	SFKIT18CT	Flex Compact Term w/18" compressed vent	P.O.A.
	640367	F1800	SFKIT24CT	Flex Compact Term w/24" compressed vent	P.O.A.
	640368	F1801	SFKIT36CT	Flex Compact Term w/36" compressed vent	P.O.A.
	640369	F1802	SFKIT48CT	Flex Compact Term w/48" compressed vent	P.O.A.
	640155	F1803	SF45HTKCT	Compact Termination Secure Flex	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

SECURE VENT™ DIRECT VENT SYSTEM

4.5" / 7.5" RIGID VENT SYSTEM

	Item #	Material #	Model	Description	Price	
	601800	77L70	SV4.5L6	6" Rigid DV Vent	P.O.A.	
	601801	77L71	SV4.5L12	12" Rigid DV Vent	P.O.A.	
	601803	77L72	SV4.5L24	24" Rigid DV Vent	P.O.A.	
	601804	77L73	SV4.5L36	36" Rigid DV Vent	P.O.A.	
	601805	77L74	SV4.5L48	48" Rigid DV Vent	P.O.A.	
	601808	77L75	SV4.5LA	Adjustable Length Slip Section (2" – 7.5") – rigid	P.O.A.	
		601810	77L76	SV4.5E45	45 Degree Elbow	P.O.A.
		601811	77L77	SV4.5E90	90 Degree Elbow	P.O.A.
	601814	77L78	SV4.5F	Roof Flashing – Flat	P.O.A.	
	601815	77L79	SV4.5FA	Roof Flashing 1/12 – 7/12 Pitch	P.O.A.	
Includes Storm Collar	601816	77L80	SV4.5FB	Roof Flashing 7/12 – 12/12 Pitch	P.O.A.	
	601818	77L81	SV4.5SC6	Storm Collars (6 pieces)	P.O.A.	
	C601700	H6183	SV4.5HF5	Horizontal Spacer, Rigid, each	P.O.A.	
	C601700	H2246	SV4.5HF – 10	Horizontal Firestop (Rigid) – 10 Pack	P.O.A.	
	C601700	H2247	SV4.5VF – 10	Vertical Firestop (Rigid) – 10 Pack	P.O.A.	
	601848	96K92	SV4.5SP	Support Plate	P.O.A.	
	601844	96K93	SV4.5SU	Support Strap	P.O.A.	
	C601700	H5816	SV4.5TWSK10	Through Wall Shield, 10 pack	P.O.A.	
	601847	H3907	SV4.5RSA	Attic Insulation Radiation Shield	P.O.A.	
Termination kits include termination, adapter and firestop						
	601849	H1968	SV4.5HT-2	Horizontal Termination Kit	P.O.A.	
94L10 and H5817 Not for use on all models, refer to appliance installation manual						
	601874	94L10	SV4.5HTSS	Horizontal Termination – Small Square	P.O.A.	
	601853	H5817	SV4.5-20SSWSK	Small, Square Termination, 20" w/Shield	P.O.A.	
	618516	H8914	SV4.5TK90HT2	Horizontal Termination Kit HT2 Includes SV4.5 90 Elbow	P.O.A.	
	618517	H8915	SV4.5TK90SS	Horizontal Termination Kit, Small Square, Includes SV4.5 90 Elbow	P.O.A.	
	601851	H2152	SV4.5GV-1	Vertical Termination, High Wind	P.O.A.	
	601878	99L03	SV4.5HRK36	Horizontal Riser Kit, 36"	P.O.A.	
	601875	99L02	SV4.5HRK14	Horizontal Riser Kit, 14"	P.O.A.	

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

SECURE VENT™ DIRECT VENT SYSTEM (cont'd)

SECURE FLEX™ FLEXIBLE VENT SYSTEM

	Item #	Material #	Model	Description	Price
	601830	77L87	SFKIT12	Flex Square Termination with 12" Compressed Flex Vent	P.O.A.
	601832	77L88	SFKIT18	Flex Square Termination with 18" Compressed Flex Vent	P.O.A.
	601834	77L89	SFKIT24	Flex Square Termination with 24" Compressed Flex Vent	P.O.A.
	601836	77L90	SFKIT36	Flex Square Termination with Compressed Flex Vent	P.O.A.
	601838	77L91	SFKIT48	Flex Square Termination with Compressed Flex Vent	P.O.A.
	601876	56L74	SFVT30	Vertical Termination for Flex Vent- (Flat to 6/12)	P.O.A.
	601877	56L75	SFVT45	Vertical Termination for Flex Vent- (6/12 to 12/12)	P.O.A.
	601820	98K03	SF-12	12' Compressed Flex Vent	P.O.A.
	601822	60L10	SF-18	18' Compressed Flex Vent	P.O.A.
	601856	H1969	SF4.5HT -2	Horizontal Termination Kit	P.O.A.
94L04, 94L05, 94L06, 94L07, 94L08 and 94L09 Not for use on all models, refer to appliance installation manual					
	618384	94L04	SFKIT12SS	Flex Small Termination w/ 12" Flex Vent	P.O.A.
	618386	94L05	SFKIT18SS	Flex Small Termination w/ 18" Flex Vent	P.O.A.
	618390	94L06	SFKIT24SS	Flex Small Termination w/ 24" Flex Vent	P.O.A.
	618394	94L07	SFKIT36SS	Flex Small Termination w/ Flex Vent	P.O.A.
	618400	94L08	SFKIT48SS	Flex Small Termination w/ Flex Vent	P.O.A.
	601858	94L09	SF-HTSS	Horizontal Termination - Small Square for Flex Vent	P.O.A.
	C601700	H2248	SF4.5HF-10	Horizontal Firestop (Flex) - 10 Pack	P.O.A.
	C601700	H2249	SF4.5VF-10	Vertical Firestop (Flex) - 10 Pack	P.O.A.
	C601700	H6184	SF4.5HF5	Firestop Spacer, 5", Flex	P.O.A.
	C601700	H7748	FVK36	Flex Connector Kit	P.O.A.

UNIVERSAL VENT COMPONENTS (RIGID OR FLEX)

	Item #	Material #	Model	Description	Price
	C601700	10K81	SFMP	Mil Pak	P.O.A.
	C601700	91L66	SF-GC4.6	Gear Clamp - 4.5" flex (6 pieces)	P.O.A.
	C601700	91L67	SF-GC7.6	Gear Clamp - 7.5" flex (6 pieces)	P.O.A.
	601854	H5820	SV4.5-HTSK	Shroud Kit, Horizontal Termination	P.O.A.
	C601700	87L02	SV4.5HGS	Termination Guard Kit	P.O.A.
	C601700	17M52	SV4.5HGS-1	Termination Guard Kit	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

SECURE VENT™ DIRECT VENT SYSTEM (cont'd)

8" / 11" RIGID VENT SYSTEM

Item #	Material #	Model	Description	Price	
Accessories					
	601890	H2250	SV8L6	6" Rigid DV Vent	P.O.A.
	601891	H2251	SV8L12	12" Rigid DV Vent	P.O.A.
	601892	H2252	SV8L24	24" Rigid DV Vent	P.O.A.
	601893	H2253	SV8L36	Rigid DV Vent	P.O.A.
	601894	H2254	SV8L48	Rigid DV Vent	P.O.A.
	601895	H2255	SV8LA	Telescopic Section	P.O.A.
	601896	H2256	SV8E45	45 Degree Elbow	P.O.A.
	601897	H2257	SV8E90	90 Degree Elbow	P.O.A.
	601899	H2258	SV8FA	Roof Flashing 1/12-7/12	P.O.A.
	601900	H2259	SV8FB	Roof Flashing 7/12-12/12	P.O.A.
With Storm Collar 	601898	H3236	SV8F	Roof Flashing, Flat	P.O.A.
	601902	H2260	SV8HF	Horizontal Firestop	P.O.A.
	601903	H2261	SV8BF	Vertical Firestop	P.O.A.
	601904	H2262	SV8SU	Support Strap	P.O.A.
	601905	H2263	SV8SP	Support Plate	P.O.A.
	601901	H3237	SV8SC6	Storm Collar, 6 Pack	P.O.A.
	C601700	H3908	SV8ARSA	Attic Insulation Radiation Shield	P.O.A.
	601907	H2265	SV8VTR	Vertical Termination	P.O.A.
	601908	H2266	SV8HTR	Horizontal Termination	P.O.A.

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

ASTRIA GAS VENTED FIREPLACES AND CHIMNEY

SECURE VENT™ DIRECT VENT SYSTEM (cont'd)

5" – 8" DIRECT VENT COAXIAL CHIMNEY

Item #	Material #	Model	Description	Price
640544	J2209	P58-6	6" Section Double Wall Pipe – Galvanized	P.O.A.
640536	J2201	P58-12	12" Section Double Wall Pipe – Galvanized	P.O.A.
640538	J2203	P58-24	24" Section Double Wall Pipe – Galvanized	P.O.A.
640540	J2205	P58-36	36" Section Double Wall Pipe – Galvanized	P.O.A.
640542	J2207	P58-48	48" Section Double Wall Pipe – Galvanized	P.O.A.
640526	J2082	PA58-712	Adjustable 7"- 12" Section Double Wall Pipe – Galvanized	P.O.A.
640532	J2149	PF58-927	17.5" – 35.5" Section Flex Pipe	P.O.A.
640530	J2147	PF58-1236	20.5" – 44.5" Section Flex Pipe	P.O.A.
640531	J2148	PF58-1854	26.5" – 62.5" Section Flex Pipe	P.O.A.
640522	J2041	OSR58-30	30 degree Offset and Return	P.O.A.
640488	J0661	E58-45	45 degree Elbow – Galvanized	P.O.A.
640489	J0663	E58-90	90 degree Elbow – Galvanized	P.O.A.
640578	J3023	VKGR-58	Ground Floor Vent Kit (Rear Vent Cottage Only)	P.O.A.
640576	J3021	VKG-58	Ground Floor Vent Kit	P.O.A.
640570	J2989	VKB-58	Basement Vent Kit	P.O.A.
640584	J3030	VKS-58	Snorkel Vent Kit	P.O.A.
640581	J3027	VKRT-58	Roof Vent Kit (Top Vent Cottage Only)	P.O.A.
640580	J3026	VKR-58	Roof Vent Kit	P.O.A.
640581	J3027	VKRT-58	Roof Vent Kit (Top Vent Cottage Only)	P.O.A.
640580	J3026	VKR-58	Roof Vent Kit	P.O.A.
640572	J2991	VKC-58	Corner Vent Kit	P.O.A.
640518	J1504	HTS-58	Horizontal Square Termination – Galvanized	P.O.A.
640592	J3190	VT-58	Vertical Round Termination – Galvanized	P.O.A.
640566	J2329	ST-58-14	14" Snorkel Termination – Galvanized	P.O.A.
640567	J2330	ST-58-36	36" Snorkel Termination – Galvanized	P.O.A.
640510	J1484	HHTK-58	Horizontal Round Hi-Wind Termination Kit	P.O.A.
640516	J1501	HTKS-58	Horizontal Square Termination Kit	P.O.A.
640291	J0230	CAK-58	Cold Air Kit (for Citadel II Only)	P.O.A.
640562	J2300	SC-58	Storm Collar – Galvanized	P.O.A.
640610	J3479	WF-58	Wall Firestop – Galvanized	P.O.A.
640498	J0996	FTA-58	Firestop Thimble Kit	P.O.A.
640550	J2251	RF-58-6	Roof Flashing – 0 to 6/12 Pitch – Galvanized	P.O.A.
640548	J2249	RF-58-12	Roof Flashing – 6/12 to 12/12 Pitch – Galvanized	P.O.A.
640588	J3134	VR-58	Vertical Restrictor – Galvanized	P.O.A.
640556	J2292	S-58	Vinyl Siding Standoff – Galvanized	P.O.A.
640614	J3483	WS-58	Wall Strap	P.O.A.
640484	J0373	CS-58	Cathedral Ceiling Support	P.O.A.
640494	J0953	FP-58	Firestop Plate	P.O.A.
640564	J2316	SF-58	Stucco Flashing – For Use With HTS-58	P.O.A.

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –