

BLOS BLOWER KIT

Installation Instructions For DSS Models Only

WARNING

Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage. Refer to these instructions. For assistance or additional information, consult a qualified installer, service agency or the gas supplier.

CONTENTS OF KIT:

DESCRIPTION	QTY
BLOS Blower Assembly	1
Screws	4

Check to see that you have the following. If you are missing any parts, contact dealer where you purchased the kit.

TOOLS NEEDED FOR INSTALLATION:
Phillips Screwdriver

1. Turn off the gas supply to the unit.
2. Locate two access plates on back of unit. With Phillips screwdriver, remove four (4) screws attaching access plates. Remove access plates. Save screws. See Figure 1.




Figure 1 - Removing Access Plates

3. Remove the left side panel next to the door by swinging it open and lifting up off the hinges. See Figure 2.
4. Snap thermostat/limitswitch into bracket under top of unit. See Figure 2.

NOTE: Make sure wire terminals do not touch disk bracket.




Figure 2 - Installing Thermostat/Limit Switch with Left Side Panel Removed

5. Route wire down back side of unit. See Figure 3.

6. Line up screws holes on blower tabs with screw holes from the removed access plates. Attach blower to unit with four (4) screws you removed with access plates. See Figures 3 and 4.




Figure 3 - Installing Blower




Figure 4 - Blower Attached to Back of Unit

7. Open access door on front of unit. Remove six (6) screws from control panel. Pull control panel away from the unit. Install fan blower speed control in control panel. See Figure 5.




Figure 5 - Installing Fan Blower Control

8. Connect and route wires per wiring diagram. See Figure 6.

CAUTION
 Label all wires prior to disconnection when servicing controls. Wiring errors can cause improper and dangerous operation. Verify proper operation after servicing.




Figure 6 - Wiring Diagram

9. Put side-panel back on unit. See Figure 2, page 2.

BLOSS ACCESSORY PARTS LIST:

DESCRIPTION	QTY	PART NUMBER
Right Blower	1	33D0700
Left Blower	1	45D0240
Thermostat	1	23D6100
Blower Box	1	46D0241K
Speed Control	1	26D0746
Wire Harness	1	41D0203
High Temp Wire/Male	1	43D0124
High Temp Wire/Female	1	43D0123

Monessen Hearth Systems
Lexington Forge
149 Cleveland Drive • Paris, Kentucky 40361