

IHP
Service Replacement Parts List

Brentwood™ LV
Cat. No. H8295
Model Years: 2011 to Present

FIREBOX COMPONENTS		
Item No.	Cat. No.	Description
1	PR-ISO2205	Refractory, Baffle (2 pieces)
2	PR-SR2996	Refractory, Back
3	PR-SR2997D	Refractory, Right Side
4	PR-SR2997G	Refractory, Left Side
5	PR-SR2201	Refractory, Bottom
6	PR-SR2202D	Refractory, Front, right side - ash lip
7	PR-SR2202G	Refractory, Front, left side - ash lip
8	PR-SR2271	Air Tube, Secondary
9	PR-SR2214	Bracket, Secondary Air Tube Lock
30	PR-SR2324	Andiron (2)
31	PR-SR2323	Log Retainer Bar, Cast iron
FACING COMPONENTS		
10	PR-SR3033	Top trim
11	PR-SR3020	Bottom trim
12	PR-SR2995	Top frame
13	PR-SR2994G	Left side frame
14	PR-SR2994D	Right side frame
EXTERIOR COMPONENTS		
17	PR-SR2503	Fireplace right side
18	PR-SR2499	Fireplace back
21	PR-SR3003LV	Door, complete, black
22	PR-SR3027	Wooden door handle
23	PR-SR2855	Door handle rod and lock
24	PR-SR3004	Ceramic glass panel
25	PR-SR1823P	Gasket, door, 77-3/4" (5/8" dia.)
26	PR-SR1685J	Gasket, glass, 74" (3/16" x 1")
27	PR-SR1933	Hinge assembly, fireplace and door
19	H8159	Touch-Up Paint, Black, Aerosol, TSPK-B

BLOWER COMPONENTS		
Item No.	Cat. No.	Description
28	PR-UZY6	Blower (heat activated on/off, pre-wired)
29	VTU	Snap Disc, Blower
**	VRUW	<i>Variable Speed Control for Blower (wall mount)</i>
FINISHING KITS		
20	LOUVRECF	<i>Louvers, upper and lower (set of 2)</i>
**	CAPPINGCF	<i>Clean face kit</i>
OUTSIDE AIR KITS		
**	UZIAD	<i>Outside Air Coupler to connect outside air UZI to fireplace</i>
**	UZI	<i>Outside Air Ducting - includes 4" insulated flex x 10' long</i>
GRAVITY KIT (REQUIRED WITH CLEAN FACE KIT)		
**	H8947	<i>Gravity Kit - Complete double ducting system w/adaptor including: 2 elbows 90°, 2 telescopic lengths, 2 grill supports and 2 black grills, 7B30ZK-1</i>
GRAVITY KIT ACCESSORIES		
**	H8948	<i>Elbow 90°, 8" dia., 7B26ZE90</i>
**	H8949	<i>Elbow 45°, 8" dia., 7B26ZE45</i>
**	H8950	<i>Telescopic length, 8" dia. (15" to 26"), 7B26ZLA</i>
**	H8951	<i>Adjustable length 8" dia (2" - 5"), 7B26ZL2A</i>
**	H8954	<i>Length two (2) feet, 8KL2</i>
**	H8953	<i>Length one (1) feet, 8KL1</i>
**	H8952	<i>Wall radiation shield, 8" I.D., 7B26ZR</i>
FIREPLACE KITS		
**	BISUMA30	<i>Masonry Chimney Adaptor, 30°, (for use with Tubinox™ liner)</i>
**	BISUMA	<i>Masonry Chimney Adaptor, 45° (for use with Tubinox liner) CANADA ONLY</i>
**	BUCFZN	<i>Rigid Firescreen</i>
CENTRAL FORCED AIR KIT		
**	BISFWK-1	<i>Central Forced Air Kit, Central forced air kit including: blower (BISZY), flex adaptor (BISAF), 2 clamps, variable speed control (VRUW), thermo-disk (VTU), fan to flexible pipe adaptor (BISAVF), back draft damper (BISBD), aluminium tape</i>
**	BISAF	<i>Fireplace to Flex adaptor and 2 clamps</i>
**	5FLEX15	<i>Flexible pipe 5" I.D. x 15 ft. Long</i>
**	5FLEX25	<i>Flexible pipe 5" I.D. x 30 ft. Long</i>

CENTRAL FORCED AIR KIT (continued)		
Item No.	Cat. No.	Description
**	BISZY	<i>Blower 250 CFM for central forced air kit</i>
**	VRUW	<i>Blower variable speed control with decorative wall plate for (BISZY)</i>
**	VTU	<i>Thermo-disk, on/off blower control (for BISZY)</i>
**	BISAVF	<i>Blower to flexible pipe adaptor</i>
**	HCTW	<i>Heating and cooling thermostat, 24V</i>
**	BISBD	<i>Backdraft damper</i>

Note: Items in italics may be discontinued 6 months after the end of model production or later if inventory is available.

