

**IHP**  
Service Replacement Parts List

**BIS Ultima CF**  
Cat. No. BISULTIMACF  
Model Years: 2011 - 2014

<b>FIREBOX COMPONENTS</b>		
Item No.	Cat. No.	Description
1	PR-ISO2205	Refractory, Baffle (2 pieces)
2	PR-SR2996	Refractory, Back
3	PR-SR2997D	Refractory, Right side
4	PR-SR2997G	Refractory, Left side
5	PR-SR3018	Refractory, Bottom
6	PR-SR2202D	Refractory, Front, right side - ash lip
7	PR-SR2202G	Refractory, Front, left side - ash lip
8	PR-SR2271	Air Tube, Secondary
9	PR-SR2214	Bracket, secondary air tube lock
30	PR-SR3026	Andirons (2)
<b>FACING COMPONENTS</b>		
10	PR-SR3033	Top trim
11	PR-SR3020	Bottom trim
12	PR-SR2995	Top frame
13	PR-SR2994G	Left side frame
14	PR-SR2994D	Right side frame
<b>EXTERIOR COMPONENTS</b>		
15	PR-SR2500	Fireplace top
16	PR-SR2502	Fireplace left side
17	PR-SR2503	Fireplace left side
18	PR-SR2499	Fireplace back
19	H8159	<i>Touch-up paint, aerosol, black metallic</i>
21	PR-SR3003	Complete door
22	PR-SR3027	Wooden door handle
23	PR-SR2855	Door handle rod and lock
24	PR-SR3004	Ceramic glass panel
25	PR-SR1823P	Gasket, door, 77-3/4" (5/8" dia.)
26	PR-SR1685J	Gasket, glass, 74" (3/16" x 1")
27	PR-SR1933	Hinge assembly, fireplace and door
<b>BLOWER COMPONENTS</b>		
28	PR-UZY6	Blower (heat activated on/off, pre-wired)
29	VTU	Snap Disc, Blower

<b>FINISHING KITS</b>		
<b>Item No.</b>	<b>Cat. No.</b>	<b>Description</b>
20	LOUVRECF	<i>Louvers, upper and lower (set of 2)</i>
**	CAPPINGCF	<i>Clean face kit</i>
<b>OUTSIDE AIR KITS</b>		
**	UZIAD	<i>Outside Air Coupler to connect outside air UZI to fireplace</i>
**	UZI	<i>Outside Air Ducting - includes 4" insulated flex x 10' long</i>
<b>GRAVITY KIT (REQUIRED WITH CLEAN FACE KIT)</b>		
**	7B30ZK-1	<i>Gravity Kit - Complete double ducting system w/adaptor including: 2 elbows 90°, 2 telescopic lengths, 2 grill supports and 2 black grills</i>
<b>GRAVITY KIT ACCESSORIES</b>		
**	7B30ZO	<i>Black grill with support</i>
**	7B30ZGB	<i>Brass grill (for 7B30ZK)</i>
**	7B26ZE90	<i>Elbow 90°, 8" dia.</i>
**	7B26ZE45	<i>Elbow 45°, 8" dia.</i>
**	7B26ZLA	<i>Telescopic length, 8" dia.</i>
**	7B26ZL2A	<i>Adjustable length 8" dia (2" - 5")</i>
**	7B26ZR	<i>Wall Radiation shield</i>
**	8KL5	<i>Length five (5) feet</i>
**	8KL4	<i>Length four (4) feet</i>
**	8KL3	<i>Length three (3) feet</i>
**	8KL2	<i>Length two (2) feet</i>
**	8KL1	<i>Length one (1) feet</i>
<b>FIREPLACE KITS</b>		
**	VRUW	<i>Blower motor speed control (wall mount)</i>
**	BUCEBWZN	<i>Rigid firescreen</i>
**	BISUMA30	<i>Masonry Chimney Adaptor, 30°, (for use with TUBINOX liner)</i>
**	BISUMA	<i>Masonry Chimney Adaptor, 45°, (for use with TUBINOX liner) Approved for use in Canada ONLY</i>
<b>CENTRAL FORCED AIR KIT ACCESSORIES</b>		
**	BISFWK-1	<i>Central Forced Air Kit, Central forced air kit including: blower (BISZY), flex adaptor (BISAF), 2 clamps, variable speed control (VRUW), thermo-disk (VTU), fan to flexible pipe adapter (BISAVF), back draft damper (BISBD), aluminium tape</i>
**	BISAF	<i>Fireplace to Flex adaptor and 2 clamps</i>
**	5FLEX15	<i>Flexible pipe 5" I.D. x 15 ft. Long</i>
**	5FLEX25	<i>Flexible pipe 5" I.D. x 30 ft. Long</i>

**CENTRAL FORCED AIR KIT ACCESSORIES (continued)**

Item No.	Cat. No.	Description
**	BISZY	<i>Blower 250 CFM for central forced air kit</i>
**	VRUW	<i>Blower variable speed control with decorative wall plate for (BISZY)</i>
**	VTU	<i>Thermo-disk, on/off blower control (for BISZY)</i>
**	BISAVF	<i>Blower to flexible pipe adaptor</i>
**	HCTW	<i>Heating and cooling thermostat, 24V</i>
**	BISBD	<i>Backdraft damper</i>

Note: Items in italics may be discontinued 6 months after the end of model production or later if inventory is available.

