

Heritage
Design Beauty

Go state-of-the-art
warm with
WinterWarm



Winterwarm Wood
Fireplace Inserts



Strength
Performance
Heart of your home



Winterwarm Small Insert

Winterwarm Wood Fireplace Inserts



The WinterWarm System. Easy. Efficient. Perfect.

The WinterWarm Fireplace Insert slips easily into your heat-losing fireplace to instantly transform it into an efficient heat source. You'll enjoy all of the beauty of an open fireplace, with all of the convenience and performance of a state-of-the-art wood stove. Two sizes are available to suit many different fireplace applications.




Winterwarm Fireplace System

Winterwarm Fireplace System

The WinterWarm System allows you to add the elegance of a fireplace almost anywhere in your home. The system includes everything you need – firebox, large WinterWarm insert, and a zero clearance cabinet. It's beautiful. Functional. And it's only by Vermont Castings.

Standard Features

- High Efficiency - 78% - more heat from less wood
- Large fireviewing area with clean, durable, ceramic glass
- Easy swing-out ash pan with cover
- High heat output - up to 50,000 BTU/hr
- Rheostat controlled twin fans for heat circulation
- Very low smoke emissions - 2.1 grams/hour
- Standard sparkscreen for open fireviewing
- Solid, durable cast-iron construction
- Long overnight burn times
- Solid brass trim around door
- Conveniently located controls
- Thermostatic control for steady, even heat



Options:

- Two porcelain enamel color choices: Biscuit and Ebony Black
- Outside air kit
- Powerful 260 CFM cabinet blower for increased heating power and circulation
- Surround panels to compliment a variety of facing materials for a neat, finished appearance



Winterwarm Large Insert

Winterwarm Small and Large Inserts

Standard Features

- High Efficiency
 - more heat from less wood (79% small, 78.3% large)
- Large fireviewing area with clean, durable, ceramic glass
- Easy ash pan handling
- High heat output - up to 50,000 BTUs/hr on large model; 30,000 on small model
- Flush front on small models
- Rheostat controlled twin fans for heat circulation
- Solid, durable cast-iron construction
- Long overnight burn times
- Conveniently located controls
- Thermostatic control for steady, even heat


Options

- Two porcelain enamel color choices: Biscuit, Ebony Black, plus Classic Black
- Cast-iron surround panels with small model for a neat finished appearance
- Outside air adaptors



Winterwarm Wood Fireplace Inserts

WINTERWARM SMALL INSERT




Specifications:
 Log Length: 18"
 Burn Time: 6 - 8 hours
 Heating Capacity: 500 - 1,000 sq. ft.
 Maximum Heat Output: 30,000 BTU/hr.
 Efficiency Rating: 79%
 EPA Emissions Rating: 2.1 grams/hr.
 Weight: 285 lbs

Minimum Fireplace Dimensions:
 Height: 21 1/2"
 Width: 26 1/2"
 Depth: 15"

Flue Collar Size: 6" round

Optional Surround Packages:
 6" steel covers: 36 1/2" W x 27" H
 10" steel cover: 44 1/2" W x 3" H
 7" Cast covers: 40" W x 28 1/2" H
 10" Cast covers: 45" W x 31" H

WINTERWARM LARGE INSERT



Specifications:
 Log Length: 24"
 Burn Time: Up to 9 hours
 Heating Capacity: 750 - 1,500 sq. ft.
 Maximum Heat Output: 50,000 BTU/hr.
 Efficiency Rating: 78.3%
 EPA Emissions Rating: 2.1 grams/hr.
 Weight: 475 lbs

Minimum Fireplace Dimensions:
 Height: 24"
 Width: 34"
 Depth: 19"

Flue Collar Size: 8" oval

Optional Surround covers up to 51" W x 36" H

WINTERWARM FIREPLACE SYSTEM - Specifications: Fireplace System Model. (Specifications same as WinterWarm Large)

Log Length:	24"	Efficiency Rating:	78.3%	Cabinet Dimensions:	
Burn Time:	Up to 9 hours	EPA Emissions Rating:	2.1 grams/hr.	Height:	59 1/2"
Heating Capacity:	750 - 1,500 sq. ft.	Weight:	840 lbs	Width:	39 1/2"
Maximum Heat Output:	50,000 BTU/hr.	Chimney:	8" High Temperature	Depth:	28 1/2"
Clearances of Cabinet:	To Wall Studs: 1/2"			Visible Front:	41" W x 34 1/2" H



YOUR DEALER